



Johnson County Board of Commissioners

Johnson County Commissioners Office

2484 West Elm Street

Wrightsville, Georgia 31096

(478) 864-3388 Extension 4

Honorable James McAfee, Jr., Chairman

Honorable Doug Redmond , County Manager

INVITATION TO BID PACKAGE

JOHNSON COUNTY 2026 LMIG SAP

(SAFETY ACTION PLAN PROJECT)

TRAFFIC CONTROL, STRIPING, RPM'S, RUMBLE STRIPS, & STOP BARS ON 41 COUNTY ROADS

CONTRACT ID: Johnson COUNTY FY 2026 LMIG SAP PROJECT

Bid Opening Date: Tuesday, June 30, 2026 @ 9:00 AM

Bidder

Name: _____

Address: _____

City, State, Zip Code: _____

DO NOT UNSTAPLE THIS BOOKLET

******IMPORTANT NOTE: ALL REQUIRED INFORMATION SHALL BE ENTERED BY HAND OR STAMP. FAILURE TO RETURN ALL DOCUMENTS CONTAINED IN AND REQUIRED BY THIS BID PACKAGE SHALL RESULT IN DISQUALIFICATION OF THE BID. ******

Johnson County is an Equal Opportunity Services Provider and Employer



Instructions to Bidders

1. All bids must be submitted on the form provided by **Johnson County**.
2. **Submit two (2) hard copies of the complete bid package in a sealed envelope with the project name, bid date and company name clearly marked on the outside of the envelope. Johnson County must receive all bids no later than Tuesday, June 30, 2026 @ 9:00 a.m. on the bid opening date of Tuesday June 30, 2026.**
3. **All bids must include a 5% bid bond with submission. (No exceptions).** All bids must be executed by an officer of the company legally authorized to execute documents and to bind the company financially. The corporate seal, if appropriate, must be affixed to the bid
4. No facsimile copies will be accepted. **Johnson County will not accept any bids received after the bid closing time.**
5. Project bid documents may be obtained at Johnson County Board of Commissioners Office, Johnson County Commissioner's Office, P.O. Box 269 2484 West Elm Street, Wrightsville, Georgia 31096, between the hours of 8:00 am and 5:00 pm, Monday through Friday.
6. Bid packages may be requested by email at: DRedmond@johnsonco.org or by phone @ (478) 864-3388 Extension 4.
7. No telephone inquiries will be addressed regarding this bid.
No verbal response will be made to any requests for information.
Any procedural questions must be submitted in writing via Email to:
Barry L. Wood
WSP USA INC.
Email: barry.wood@wsp.com
8. Any questions regarding the project scope, documents, and/or specifications must be submitted in writing no later than seven (7) days prior to the bid date. A written response, if required, will be provided to all known bidders in the form of written addenda. All addenda so issued shall become a part of the contract documents. Submit all technical questions to
Barry L. Wood
WSP USA INC.
Email: barry.wood@wsp.com
9. The Bidder, before making his bid, shall examine the documents, specifications, and the project site(s) and shall make such examinations on the ground as may be necessary to thoroughly familiarize himself with the nature and extent of the proposed construction and with all local conditions affecting the work.
The Bidder shall also accept the premises in its present condition and complete all work in accordance with the requirements of the specifications and as shown on the documents. The Owner will not be responsible for Bidder's errors and

Johnson County is an Equal Opportunity Services Provider and Employer



misjudgment nor for failure to obtain information on local conditions or general laws or regulations pertaining thereto. At the time of the opening of bids, each Bidder will also be presumed to have read and to be thoroughly familiar with the documents, contract documents (including all addenda), and the construction specifications. The failure or omission of any Bidder to examine any form, instrument, or document shall in no way relieve any Bidder from any obligation in respect of his bid.

10. The Bidder's attention is directed to the fact that all applicable state laws, municipal ordinances, and the rules and regulations of all authorities having jurisdiction over construction of the project shall apply to the contract throughout, and they will be deemed to be included in the contract the same as though herein written out in full.

11. *****NOTE: A performance bond and payment bond for 100% of the contract price will be required to be presented prior to the award of the contract***.**
The contract will be awarded to the responsive, responsible Bidder submitting the lowest base bid complying with the conditions of the invitation to bid. The Owner reserves the right to reject any and all bids and to waive any informality in bids received whenever such rejection or waiver is in the interest of the Owner. **Any decisions of Johnson County regarding the bid and selection process are final.**

12. Prior to execution of the contract documents, a certificate of insurance will be required to be provided to the Owner. Coverage must be maintained for the duration of the project. Each policy required by this clause shall be endorsed to state that coverage shall not be suspended, voided, canceled by either party, reduced in coverage or limits except after thirty (30) days prior written notice by certified mail, return receipt requested, has been given to **Johnson County**. Contractor shall include all subcontractors as insured under its policies or shall furnish separate certificates and endorsements for each subcontractor. All coverage for subcontractors shall be subject to all of the requirements stated herein. Contractor shall maintain limits no less than the following:

General Liability \$2,000,000: General Liability combined single limit per occurrence, for bodily injury, personal injury, and property damage.

Automobile Liability \$2,000,000: Automobile Liability combined single limit per accident, for bodily injury, and property damage, when applicable.

Worker's Compensation and Employer's Liability \$1,000,000: Employers' Liability limit per accident and Worker's Compensation as per statutory requirements.

Umbrella Excess Liability \$10,000,000: per occurrence.

ADDITIONAL BID DOCUMENT INFORMATION

Contract Time: The contractor shall complete the project work within 180 days from the Notice to Proceed Date that will be supplied by Johnson County.

Engineer: The project will be overseen by Johnson County and or WSP USA INC. Johnson County will retain the services of a Professional Engineer for project management and inspection. Any reference hereinafter to Engineer shall be deemed to mean Johnson County or their designated representative. The Engineer will assume all the duties and responsibilities and will have the rights and authority assigned to the Engineer in the contract documents in connection with completion of the work in accordance with the contract documents.

Base Bid: The contractor shall submit pricing in accordance with the attached Bid Schedule to complete the work in accordance with the approved Documents and Specifications. Bid shall indicate pricing for base bid and any alternates.

Bid Award: The Board of Commissioners and County Manager will review the bids and select the lowest and best bid. Johnson County reserves the right to reject any and all bids. **The bid submitted must remain valid for a period of 60 days from bid date.**

Preconstruction Conference: A Preconstruction Conference may be held with the selected contractor prior to issuing a Notice to Proceed. The Preconstruction Conference will allow for discussion of schedule, traffic control, inspection and notification requirements, utility issues, etc. that may be applicable. The selected contractor must submit a proposed project schedule that outlines the sequence and scheduling of project activities including a traffic control plan and any proposed subcontractors to be utilized on this project. The date and time of the Preconstruction Conference will be determined by Johnson County after bid award. All workmanship and materials must comply with applicable GDOT Specifications (latest edition) and GDOT Construction Standards and/or Details.

Maintenance During Construction: The contractor is responsible for maintenance of the project area from the beginning of construction operations until final acceptance in accordance with Sections 104.05, 105.14, and 107.13.

Utility Coordination: The contractor is responsible for complying with all 811 "Call Before You Dig" laws and requirements. The contractor must notify Johnson County if any discrepancies or conflicts are found. The contractor shall notify any affected utility owners in accordance with Section 107.21 of the latest edition of the Georgia Department of Specifications prior to beginning construction.

Inspection of the Work: The contractor must provide access to the work for inspection by representatives of Johnson County as per Section 105.11. Johnson County has contracted with WSP USA INC. to perform inspection and testing services. The contractor must contact Project Engineer, Barry Wood, or his representative, at least 48 hours prior to beginning construction.

Traffic Control: The safety of the traveling public is paramount and must be provided for in accordance with Subsections 107.07, 107.09, and Section 150. The contractor must prepare and submit a traffic control plan in accordance with the current Manual on Uniform Traffic Control Devices for Streets and Highways (MUTCD).

Subcontractors: The contractor shall submit a list of any proposed subcontractors at the Preconstruction Conference for approval. The list shall indicate Name, Address, Contact Person for the company, and the area(s) of work that they plan to accomplish.

Erosion Control: All erosion control items must be from a GDOT approved source. The contractor must notify the Local Government of the 24-hour contact person, including telephone number and the project "Competent Person" in accordance with NPDES requirements, as applicable.

Payment: Contractor to submit pay request to Johnson County and Johnson County agrees to review and process pay requests within 30 days from receipt. A total of ten percent (10%) of progress payments, if applicable, will be retained until final acceptance by Johnson County has occurred.

Materials: All materials used in this subject Work shall be preapproved by the Engineer prior to construction. All materials must comply with the Georgia Department of Transportation's Qualified Products List, as applicable.

Bid Documents

The bid package shall consist of the following.



Bid Package includes all documents included in this Invitation to Bid Package. --- (including instructions to Bidders and Project Specifications)

Use the latest revision of the GDOT Specifications and the following construction details and standards.

Std 9100:	Traffic Control General Notes, Standard Legend, Miscellaneous Details
Std 9102:	Traffic Control Details for Lane Closure on Two-lane Highway
Detail T-15C	Details of Raised Pavement Markers

STATE	PROJECT NUMBER	SHEET TOTAL
GA.		NO.




- GENERAL NOTES:**
- ALL TRAFFIC CONTROL DEVICES SHALL BE MADE AND ERECTED IN ACCORDANCE WITH THE DETAILS SHOWN ON THE PLANS, THE MANUAL, THE GEORGIA STANDARD SPECIFICATIONS, AND/OR SPECIAL PROVISIONS. (SEE SECTION 50)
 - ALL TRAFFIC CONTROL DEVICES SHALL BE AS SHOWN OR AS DIRECTED BY THE ENGINEER. ADDITIONAL DEVICES MAY BE REQUIRED AS DIRECTED BY THE ENGINEER.
 - ALL PORTABLE SIGNS SHALL BE MOUNTED A MINIMUM OF 10 FEET ABOVE THE LEVEL OF PAVEMENT EDGE FOR DIRECTIONAL TRAFFIC, TWO (2) LANE OR LESS, AND A MINIMUM OF 7 FEET FOR DIRECTIONAL OF THREE (3) OR MORE LANES. ALL PORTABLE SIGNS AND SIGN MOUNTING DEVICES UTILIZED IN THE WORK SHALL BE NCHRP 350 COMPLIANT. PORTABLE SIGNS MAY BE USED WHEN THE DURATION OF THE WORK IS LESS THAN 3 DAYS.
 - WHEN THE CONSTRUCTION AREA HAS ENTRANCE/EXIT RAMP OR INTERSECTIONS, WORK WILL BE PERFORMED IN SUCH A MANNER AS TO MAINTAIN THE FLOW OF TRAFFIC THROUGH THE CONSTRUCTION AREA. WHEN NECESSARY, THE CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL AND SIGNING TO MAINTAIN THE FLOW OF TRAFFIC THROUGH THE CONSTRUCTION AREA. WHEN ENTRANCE RAMP/INTERSECTIONS ARE IDENTIFIABLE, FLAGGERS WILL BE UTILIZED TO CONTROL AND PROHIBIT MOVEMENT OF TRAFFIC INTO THE CONSTRUCTION AREA. WHEN ENTRANCE RAMP/INTERSECTIONS ARE NOT IDENTIFIABLE, THE CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL AND SIGNING TO MAINTAIN THE FLOW OF TRAFFIC THROUGH THE CONSTRUCTION AREA. WHEN ENTRANCE RAMP/INTERSECTIONS ARE NOT IDENTIFIABLE, THE CONTRACTOR SHALL PROVIDE TRAFFIC CONTROL AND SIGNING TO MAINTAIN THE FLOW OF TRAFFIC THROUGH THE CONSTRUCTION AREA.



- STANDARD LEGEND**
- STRIPED DRUM
 - PERMANENT TYPE POST MOUNTED SIGN - (7' MOUNT HEIGHT)
 - TEMPORARY TYPE POST MOUNTED SIGN - (7' MOUNT HEIGHT)
 - PORTABLE MOUNTED SIGN - MINIMUM HEIGHT OF 1 FT. ABOVE THE EDGE OF PAVEMENT; INSTALLED AS PER NCHRP 350 TESTING REQUIREMENTS.
 - WORK AREA
 - TRAFFIC CONE - 28" MIN. - DAYTIME USE ONLY
 - FLAGGER WITH STOP-SLOW PADDLE

DEPARTMENT OF TRANSPORTATION		STATE OF GEORGIA	
STANDARD TRAFFIC CONTROL DETAIL FOR LANE CLOSURE ON TWO-LANE HIGHWAY			
DATE	REVISION	NO. SCALE	REV. & REDR. JULY 1, 1999
1-30-95	G20-2A TO G20-2	DES. STATE ROAD & AIRPORT DESIGN ENGINEER	NUMBER 9102
	GENERAL NOTES, REVISIONS	DRAWN BY	APPROVED BY
		CHG.	CHG.

STATE	PROJECT NUMBER	SHEET TOTAL
GA.		NO. SHEETS



GENERAL NOTES:

- SPECIFICATIONS: GEORGIA STANDARD, CURRENT EDITION, AND SUPPLEMENTS THERE TO.
- THE CONTRACTOR SHALL USE RAISED PAVEMENT MARKER SOURCES AS LISTED IN OPL 76.
- COLORS FOR REFLECTIVE ELEMENTS SHALL BE EITHER CLEAR, YELLOW, OR RED AS SPECIFIED.
- THE SHAPE OF THE REFLECTIVE MARKERS SHALL BE OF ONE COLOR OR OF A COMBINATION OF TWO COLORS, WHICH SHALL BE THE SAME AS THE REFLECTIVE ELEMENT.
- THE SURFACE OF OPAQUE CERAMIC MARKERS SHALL BE GLAZED AND OF THE COLOR SPECIFIED IN THE PLANS WITH A WHITE, VITREOUS, CERAMIC BASE.
- COLORS FOR ALL RAISED PAVEMENT MARKERS SHALL BE AS SPECIFIED IN THE PLANS.

0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

**2025 SAP LMIG PROJECT
REPORT
5/14/2025**

COUNTY / CITY **Johnson**

ROAD NAME	BEGINNING	ENDING	LENGTH (Miles)	DESCRIPTION OF WORK	PROJECT COST	PROJECT LET DATE
New Buckeye	Laurens County	SR 57	5.5	Lane lines, RPMs and rumble strips		
Idylwild Drive	Laurens County	City of Wrightsville	4.25	Lane lines and RPMs		
Paul Lord	SR 57	Liberty Grove	2.9	Lane lines, RPMs, stop bars and rumble strips		
Dude Sumner	Liberty Grove	Snellbridge	2.3	Lane lines, RPMs, stop bars and rumble strips		
Ohoopee River	Tucker Grove Church	Washington County	3.6	Lane lines, RPMs, stop bar and rumble strips		
James Grove Church	Liberty Grove	SR 57	1.9	Lane lines, RPMs, stop bar and rumble strips		
Minton Chapel	Williams Price	Jefferson County	3.7	Lane lines and RPMs		
Tom	SR 57	Williams Price	1.5	Lane lines, RPMs, stop bar and rumble strips		
Cross Cedar	City of Wrightsville	Pringle Harrison	7.0	Lane lines, RPMs, stop bar and rumble strips		
Archer Pond	SR 15	US 80	5.2	Lane lines, RPMs and rumble strips		
Arline Chapel	Tuckers Grove Church	US 319	3.4	Lane lines, RPMs, stop bar and rumble strips		

Liberty Grove Church	Meeks Road	SR 15	9.9	Lane lines, RPMs, stop bar and rumble strips		
Calvary Church	SR 57	Dirt section	2.8	Lane lines, RPMs, stop bars and rumble strips		
Pringle	Donavan Harrison	Washington County	2.7	Lane lines, RPMs, stop bar and rumble strips		
Beulah Church	Pringle	Washington County	2.0	Lane lines, RPMs, stop bar and rumble strips		
Donavan	SR 15	Donavan Harrison	2.0	Lane lines, RPMs, stop bar and rumble strips		
Glenn Donaldson	Mount Olive	Archer Pond	1.8	Lane lines, RPMs, stop bars and rumble strips		
Gumlog	US 319	US 221	9.5	Lane lines, RPMs and rumble strips		
Midas Brantley	Moore's Chapel	City of Kite	5.6	Lane lines, RPMs, stop bars and rumble strips		
Moore's Chapel	SR 15	Liberty Grove	4.0	Lane lines, RPMs, stop bars and rumble strips		
New Home Church	US 319	US 221	5.4	Lane lines, RPMs and rumble strips		Include Pringle Harrison section to Washington County Line
Pullens Bridge	SR 15	Jump and Run	1.3	Lane lines, RPMs, stop bar and rumble strips		
Snell Bridge	SR 15	Laurens County	3.5	Lane lines, RPMs and rumble strips		
Union Hill Church	SR 57	US 319	3.5	Lane lines, RPMs, stop bars and rumble strips		
Mount Olive	SR 15	US 80	5.0	Lane lines, RPMs and rumble strips		



John Powell	Meeks Road	Jump and Run	1.93	Lane lines, RPMs, stop bars and rumble strips		
Jump and Run	John Powell	Pullens Bridge	1.1	Lane lines, RPMs and stop bars		
Meeks Road	SR 57	Emanuel County	7.31	Lane lines, RPMs and rumble strips		
Piney Mount	Idylwild	Snell Bridge	4.55	Lane lines, RPMs, stop bars and rumble strips		
Union Grove	Piney Mount	Pavement End	2.23	Lane lines, RPMs, stop bars and rumble strips		
Trinity Church	Faith Tabernacle	Emanuel County	1.16	Lane lines, RPMs and rumble strips		
Faith Tabernacle	Meeks Road	Pavement End	0.53	Lane lines, RPMs and rumble strips		
Smith Chapel	Archer Pond	Pavement End	2.5	Lane lines, RPMs and rumble strips		
Pendleton Creek	US 80	SR 86	2.02	Lane lines, RPMs and rumble strips		
Thompson Grove	Pringle Harrison	Beulah	1.15	Lane lines, RPMs and rumble strips		
Watermelon Road	SR 57	Old Buckeye	2.56	Lane lines, RPMs and rumble strips		
Bill Oliver	SR 57	Washington County	3.98	Lane lines, RPMs and rumble strips		
McAfee Road	Tucker Church	Pavement End	0.69	Lane lines, RPMs and rumble strips		
Ralph Young	McAfee Road	Tucker School	0.31	Lane lines, RPMs and rumble strips		

Tuckers School	Ralph Young	SR 57	0.93	Lane lines, RPMs and rumble strips		
Jim Underwood	Calavary	Pavement End	2.56	Lane lines, RPMs and rumble strips		
	NOTE:	NO EDGE LINES INCLUDED		PLACE STOP BARS at all County ROAD INTERSECTIONS		



FY 2025 SAP Items Summary Johnson County

Skip	78.0 Miles
Solid	188.0 Miles
RPM Type 1	27,000 Each
RPM Type 2	8100 Each
Stop Bar	650 Feet
Rumble Strip	210 Each



DISCLAIMER

The Georgia Department of Transportation makes no representation or warranties, implied or expressed, concerning the accuracy, completeness, reliability, or suitability for any particular purpose of the information and data contained in this map.

While efforts have been made to ensure that information represented on this map is as accurate as possible, this map represents the best available spatial data as of September 2023. If there is a discrepancy between the data represented on this map and the written record of the state highway system and county road system, the official written record shall prevail.


For additional information or access to the written records, please contact the Office of Transportation Data at (404) 347-8701 or by email at: OTD.CustomerService@dot.ga.gov.

A LIST OF MAPS CREATED AND MAINTAINED BY THE DEPARTMENT OF TRANSPORTATION IS AVAILABLE ON OUR WEBSITE'S MAP PAGE, <https://www.dot.ga.gov/GOOT/Programs/Maps.aspx>. FOR MORE INFORMATION AND A LIST OF OUR MAPS DATA SOURCES, VISIT <https://www.dot.ga.gov/Development/MapData/Documents/DataIndex.pdf>.

Legend

GENERAL HIGHWAY MAP JOHNSON COUNTY GEORGIA

PREPARED BY THE
DEPARTMENT OF TRANSPORTATION
OFFICE OF TRANSPORTATION DATA
IN COOPERATION WITH
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION



County Population, Census 2010
Total County Mileage

168
209

JOHNSON COUNTY

167

WSP

15

JOHNSON COUNTY-FY 2026-LMIG SAP-CONTRACTOR BID SHEET

*** BIDDERS FILL IN AMOUNTS IN ALL YELLOW HIGHLIGHTED AREAS***

GDOT STANDARD SPECIFICATION ITEM #	GDOT ITEM DESCRIPTION	UNIT MEASUREMENT	UNIT QUANTITY	UNIT AMOUNT \$	UNIT TOTAL \$
429-1000	RUMBLE STRIPS	EACH	210		
150-1000	TRAFFIC CONTROL	LUMP SUM	1.00		
652-2502	HIGH BUILD SOLID TRAFFIC STRIPE, 5 INCH, YELLOW	LINEAR MILE	188.00		
652-3502	HIGH BUILD SKIP TRAFFIC STRIPE, 5 INCH, YELLOW	GROSS LINEAR MILE	78.00		
653-1704	THERMOPLASTIC TRAFFIC STRIPE, 24 INCH, WHITE	LINEAR FEET	650.00		
654-1001	RAISED PAVEMENT MARKERS, TYPE 1	EACH	27000.00		
654-1002	RAISED PAVEMENT MARKERS, TYPE 2	EACH	8100.00		
GRAND TOTAL BID AMOUNT				\$	

*** NOTE ALL STRIPING MUST MEET GDOT STANDARD SPECIFICATIONS 652 AND 653 IN CURRENT SPECIFICATION MANUAL AND ALL SIGNS AND POSTS MUST MEET GDOT STANDARD SPECIFICATION 636. ALL ITEMS MUST BE LISTED ON THE RESPECTIVE APPROVED GDOT QUALIFIED PRODUCTS LIST

**TOTAL BID PRICE, LABOR, AND
MATERIALS:**

\$ _____

**Johnson COUNTY COMPLETE
FY 2026 LMIG SAP PROJECT**

Bidder hereby agrees to commence work under this contract within **30 DAYS after issuance of notice to proceed and to complete the project within 180 Days from notice to proceed date.**

*******NOTE*******

*******If the work is not completed by the time stipulated in the Contract or within such extra time that may be allowed, Liquidated Damages will be assessed in accordance with the current edition of the GDOT Standard Specifications*******

BID SCHEDULE

Mail or hand deliver two (2) Hard copies of the Complete Bid Packages to:

**Johnson County Board of Commissioners
Johnson County Courthouse
2484 West Elm Street
Wrightsville, Georgia 31096
(478) 864-3388 Extension 4**

Attn: Mr. Doug Redmond, Johnson County Manager

PROJECT NAME: Johnson COUNTY 2026 LMIG SAP PROJECT

The undersigned, as Bidder hereby declares that the only person or persons, company, or parties interested in this bid is or are names herein; and that this bid is made without connection with any other person, company, or parties making bid; and that it is in all respects fair and in good faith, without collusion or fraud.

The Bidder further declares that he has carefully examined the site of the work, has read, and understands the documents, specifications, and contract documents relative thereto and has read all special provisions and addenda furnished prior to the opening of bids; and the Bidder further declares that he has informed himself fully in regard to all conditions and requirements pertaining to the work.

The Bidder proposes and agrees, if this bid is accepted, to enter into agreement with the Owner in the form of the contract specified and to furnish all labor, tools, equipment, and incidentals necessary to complete the work in full and in accordance with the shown, noted, described, and intended requirements of the contract documents. The Contractor shall be responsible for ordering materials in a timely manner to insure no delay in progress of the work. The Contractor shall submit the invoices, tickets, or any and all other documentation that may be acceptable to the Owner for their payment.

Bidder accepts all of the terms and conditions of the instructions to bidders, including without limitation, these dealing with the disposition of the bid security.

The bidder agrees that, at the time of signing the contract, he will furnish the Performance Bond and Payment Bond in the forms attached hereto, each in the amount of one hundred percent (100%) of the contract price. Bidder will also furnish all the required insurance certificates.

The undersigned agrees to furnish all labor, equipment, and materials necessary to complete the work shown, indicated, and specified in the documents, specifications, and bid schedule.

JOHNSON COUNTY FY 2026 LMIG SAP PROJECT

Receipt is acknowledged of the following addenda:

No. _____ Dated: _____

No. _____ Dated: _____

Bidder agrees that the Owner has the right to accept or reject any or all bids and to waive all formalities.

Respectfully submitted,

Date: _____

Company _____

By: _____
Signature

Printed Name _____

Title _____ CORPORATE SEAL

Address _____

City/State/Zip _____

Telephone _____

Facsimile _____

Company Email

Address _____

Johnson County is an Equal Opportunity Services Provider and Employer

