





Architects and Engineers Inc.

5191 Columbus Rd.
Macon, GA 31206
(706) 788-4777
(706) 788-4777
frontdesk@spdesigngrp.com



REVISION

THIS DRAWING IS THE PROPERTY OF SP DESIGN GROUP ARCHITECTS AND ENGINEERS, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS TO THIS PROJECT OR OTHERWISE IN ANY MANNER WITHOUT THE WRITTEN AGREEMENT OF SP DESIGN GROUP ARCHITECTS AND ENGINEERS, INC.

FVSU FIELD HOUSE MODIFICATIONS
 AT
FORT VALLEY STATE UNIVERSITY
 FOR
 THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
 FORT VALLEY, GEORGIA

PROJECT NO.
25039

SHEET TITLE

TITLE SHEET

DATE
MAY 18, 2026

DRAWN BY
RAD

CHECKED BY
MPC

SHEET NUMBER

T1.1

FVSU FIELD HOUSE MODIFICATIONS

FOR

FORT VALLEY STATE UNIVERSITY

Fort Valley, Georgia

A FACILITY OF THE


BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA

DRAWING INDEX


	T1.1	TITLE SHEET
ARCHITECTURAL	A0.1	LIFE SAFETY PLAN AND NOTES
	D1.1	DEMOLITION PLAN
	A1.1	FLOOR PLAN
	A2.1	DOOR SCHEDULE AND DETAILS
PLUMBING	P0.1	PLUMBING SCHEDULE, LEGEND AND DETAILS
	P1.1	PLUMBING DEMOLITION PLAN
	P2.1	PLUMBING FLOOR PLAN
MECHANICAL	M0.1	MECHANICAL SCHEDULES, LEGEND
	M1.1	MECHANICAL DEMOLITION PLAN
	M1.2	MECHANICAL ROOF DEMOLITION PLAN
	M2.1	MECHANICAL FLOOR PLAN
	M2.2	MECHANICAL ROOF PLAN
	M5.1	MECHANICAL DETAILS
ELECTRICAL	M5.2	MECHANICAL DETAILS
	E0.1	ELECTRICAL LEGENDS AND SCHEDULES
	E1.1	ELECTRICAL DEMOLITION - LIGHTING
	E1.2	ELECTRICAL DEMOLITION - SYSTEMS AND POWER
	E2.1	ELECTRICAL FLOOR PLAN - LIGHTING
	E4.1	ELECTRICAL FLOOR PLAN - SYSTEMS AND POWER
E4.2	ELECTRICAL ROOF PLAN - SYSTEMS AND POWER	
E5.1	ELECTRICAL PANELBOARD SCHEDULES	

DEMOLITION NOTES

- 1 REMOVE EXISTING DOOR AND HARDWARE IN ITS ENTIRETY.
- 2 REMOVE EXISTING PLUMBING FIXTURES AND ASSOCIATED PIPING AS NECESSARY.
- 3 REMOVE EXISTING TOILET PARTITIONS IN THEIR ENTIRETY.
- 4 REMOVE ALL TOILET ACCESSORIES. TURNOVER TO OWNER.
- 5 SEE PLUMBING, MECHANICAL AND ELECTRICAL FOR ITEMS TO BE REMOVED.
- 6 SEE MECHANICAL FOR WORK THAT MIGHT REQUIRE THE EXISTING GYPSUM CEILING TO BE REMOVED.
- 7 REMOVE DOOR FRAME AND MINIMUM PORTION OF PANELING, STUDS AND HEADER TO REWORK DOOR OPENING INTO A 3 FOOT WIDE CABED OPENING.
- 8 REMOVE WOOD CABINET IN ITS ENTIRETY.
- 9 REMOVE MINIMUM PORTION OF BLOCK CHASE WALLS AS NECESSARY TO INSTALL NEW PLUMBING FIXTURES.
- 10 REMOVE EXISTING DUCT CHASE AND DUCT IN ITS ENTIRETY.
- 11 RELOCATE LOCKERS AS NECESSARY TO INSTALL NEW DUCT CHASE.
- 12 REMOVE MINIMUM PORTION OF BLOCK WALL TO INSTALL DUCTS THROUGH THE WALL. SEE NEW WORK FOR LINTEL ANGLE. EXACT LOCATION TO ALIGN WITH OPENINGS BETWEEN TRUSSES.
- 13 REMOVE MINIMUM PORTION OF GYPSUMBOARD CEILING TO ACCOMMODATE DUCTS THROUGH THE CEILING. ALIGN WITH OPENINGS BETWEEN TRUSSES ABOVE.



DEMOLITION PLAN-ASPHALT
SCALE 1/8" = 1'-0"




DEMOLITION PLAN
SCALE 1/4" = 1'-0"

SEE DEMOLITION PLAN-ASPHALT FOR REMOVAL OF ASPHALT AROUND AHU-1



5191 Columbus Rd.
Macon, GA 31206
(770) 477-7465
(770) 477-9511
frontdesk@spdesigngrp.com



REVISION


THIS DRAWING IS THE PROPERTY OF SP DESIGN GROUP ARCHITECTS AND ENGINEERS. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS TO THIS PROJECT OR OTHERWISE IN ANY MANNER WITHOUT THE WRITTEN AGREEMENT AND SIGNATURE OF THE REGISTERED ARCHITECT.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA

PROJECT NO. 25039
SHEET TITLE DEMOLITION FLOOR PLAN
DATE MAY 18, 2026
DRAWN BY RAD
CHECKED BY MPC
SHEET NUMBER D1.1

CONSTRUCTION NOTES





- REPAIR HOLES IN FLOOR WITH CONCRETE. CAP ALL ABANDONED WASTE LINES.
- AT ALL AREAS WHERE BLOCK WALLS WERE REMOVED, REPLACE WITH NEW BLOCK, SIZE TO MATCH EXISTING. ALIGN JOINTS, REPLACE WITH FULL SIZE BLOCK, NO PARTIAL PIECES.
- AT REMOVED TOILET ACCESSORIES, FILL/REPAIR SCREW HOLES THAT WILL BE VISIBLE ONCE NEW ACCESSORIES ARE INSTALLED.
- AT DOOR TO BE REMOVED, PROVIDE ADDITIONAL WOOD STUDS, 1" X TRIM, PANELING AND 2" X 6" HEADERS TO REFRAME THE CASERD OPENING TO BE 3" WIDE BY 1'-0" TALL. TRIM AROUND BOTH SIDES OF DOOR SHALL BE 1" X 4". PAINT.
- PRIOR TO PAINTING THE EXISTING GYPSUMBOARD CEILING, REPAIR ALL DAMAGED GYPSUMBOARD CEILING, INCLUDING AREAS THAT HAD TO BE REMOVED TO INSTALL NEW WORK. REPLACE WITH THICKNESS TO MATCH EXISTING. ASSUME 5/8".
- AT NEW OPENING IN BLOCK WALL, PRIOR TO DEMOLITION, PROVIDE A 6"x6"x3/8" STEEL ANGLE 12" LONGER THAN THE OPENING IN THE BLOCK JOINT JUST ABOVE THE OPENING. MIN. 6" BEARING EACH SIDE. LOCATE THE LEG UP AND INSERT THE HORIZONTAL LEG INTO THE JOINT FROM THE INSIDE. BOLT THE VERT. LEG TO THE BLOCK WALL ABOVE WITH 3/4" EXPANSION BOLTS AT 16" O.C. AND ONE AT EACH END. IF LEFT EXPOSED, PAINT THE ANGLE.
- 3 5/8" METAL STUDS AT 16" O.C. WITH 5/8" GYPSUMBOARD. EXTEND TO GYPSUMBOARD CEILING. PROVIDE 1x4 TRIM AT CEILING TO MATCH EXISTING AND RUBBER BASE TO MATCH EXISTING BASE. CAULK GYPSUMBOARD INTO BLOCK. VERIFY SIZE WITH ACTUAL SIZE OF DUCT. WALL IS TO BE LOCATED 8" FROM THE DUCT AT THE BLOCK WALL TO ENCLOSE THE STEEL ANGLE. PAINT.
- OPENING IS TO BE SEALED TO DUCT ON ALL SIDES. PROVIDE 4" HIGH WALL FLASHING ON TOP AND SIDES, FULL DEPTH. TURN OUT ONTO THE DUCTS 4" INCHES. FLASHING SHALL FIT TIGHTLY AGAINST DUCT. CAULK FLASHING TO WALL AND SECURE.
- EXTEND WALL TO WOOD DECK WITH 2" X 4" WOOD STUDS AT 16" O.C. WITH 5/8" TYPE X GYPSUMBOARD BOTH SIDES. SEAL TO WOOD DECK AND TO ALL PENETRATIONS WITH FIRE CAULK. EXTEND WALL INTO ALL OVERHANGS. SEE UP 3609 AND 1 HOUR NOTE ON SHEET A0.1.
- PATCH OPENINGS IN PLYWOOD SOFFIT FROM REMOVED PIPE. PATCH WITH LIKE MATERIALS, PAINT TO MATCH AND PROVIDE SEALANT AS NECESSARY.




INTERIOR FINISH SCHEDULE

FINISH NO.	FLOOR		BASE		WALLS		CEILING	
	MATERIAL	FINISH	MATERIAL	FINISH	MATERIAL	FINISH	MATERIAL	FINISH
FI	EXISTING TO REMAIN	CLEAN	RESILIENT AT NEW WORK	FACTORY	EXISTING AND NEW GYPSUMBOARD	PAINT	GYPSUMBOARD	PAINT


PAINT THE WALLS, CEILINGS AND STEEL POLE OF THE CLEARSTORY WINDOW WELLS.





SPDG
Architects and Engineers Inc.

5191 Columbus Rd.
Macon, GA 31206
(770) 477-7405
(770) 477-9511
frontdesk@spdesigngrp.com




REVISION


THIS DRAWING IS THE PROPERTY OF SP DESIGN GROUP, ARCHITECTS AND ENGINEERS. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS THEREOF WITHOUT THE WRITTEN AGREEMENT OF SP DESIGN GROUP, ARCHITECTS AND ENGINEERS.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA


PROJECT NO. 25039
SHEET TITLE FLOOR PLAN NEW WORK
DATE MAY 18, 2026
DRAWN BY RAD
CHECKED BY MPC
SHEET NUMBER A1.1




1 HUB/ FLOOR DRAIN 'TRAP GUARD'
NOT TO SCALE



2 FLUSH VALVE SUPPORT
NOT TO SCALE



3 FLUSH VALVE SUPPORT
NOT TO SCALE



4 LAVATORY MOUNTING & P-TRAP LOCATION DETAIL
NOT TO SCALE

LEGEND			
	BALL VALVE		ROOF DRAIN
	CHECK VALVE		BUILDING STORM DRAIN
	PRESSURE REDUCING VALVE		STORM DRAIN OVERFLOW
	FLOW INDICATOR BALANCER (CIRCUIT SETTER)		SOIL, WASTE
	STRAINER		VENT
	GAS COCK		ACID WASTE
	GATE VALVE		CONDENSATE DRAIN
	GLOBE VALVE		COLD WATER
	UNION		HOT WATER (120°)
	VALVE IN VALVE BOX		HOT WATER RETURN
	AQUASTAT		TEMPERED WATER (115°)
	N.F.W.H. NON-FREEZE WALL HYDRANT		TEMPERED WATER RETURN
	TEST PLUG		GAS (LOW PRESSURE)
	THERMOMETER		HIGH PRESSURE GAS
	SILL COCK (SC) HOSE BIBB (HB)		BELOW FLOOR
	INCEASER		ABOVE CEILING
	FLOOR DRAIN (FD)		NOT TO SCALE
	CLEANOUT (CO)		ABOVE FINISHED GRADE
	HUB DRAIN		VENT THRU ROOF
	THRUST BLOCK		CHROME PLATED HOSE BIBB
	POINT OF CONNECTION NEW TO EXISTING		
	LIMIT OF DEMOLITION		
	EXISTING TO REMAIN		
	EXISTING TO BE REMOVED		

NOTE TO CONTRACTOR:
AS PART OF CONSTRUCTION QUALITY CONTROL, THE CONTRACTOR SHALL REVIEW THE PLUMBING SMALL AND LARGE SCALE PLANS, PLUMBING RISERS, PLUMBING SCHEDULE, PLUMBING FIXTURE SPECIFICATIONS, ARCHITECTURAL SMALL AND LARGE SCALE PLANS AND ELEVATIONS. THE CONTRACTOR SHALL NOTIFY THE ARCHITECT OF ANY DEVIATIONS NOTED. THIS REVIEW IS INTENDED TO CONFIRM ANY DEVIATIONS OR INCONSISTENCIES PRIOR TO PURCHASING OF ANY MATERIALS OR FIXTURES OR PERFORMING ANY WORK.

NOTE TO CONTRACTOR:
WHERE CONNECTING TO A UTILITY OR SERVICE, VERIFY LOCATION, SIZES, MATERIALS, FLUID BEING HANDLED AND INVERTS OF ALL EXISTING UTILITIES AND CONFIRM THAT NEW PIPES BEING ROUTED TO EXISTING UTILITIES CAN BE INSTALLED CONFORMING TO CODE AND AS SHOWN. NOTIFY ARCHITECT OF ANY CONFLICTS OR DISCREPANCIES PRIOR TO PURCHASING ANY MATERIALS OR PERFORMING ANY WORK, EXTENSION OF WORK OR CONNECTION, WITH THE EXCEPTION OF EXCAVATION OR OTHER WORK TO PROVIDE ACCESS TO THE CONCEALED UTILITY.

- GENERAL NOTES:**
- SEE ARCHITECTURAL PLANS FOR EXACT LOCATION OF ALL PLUMBING FIXTURES.
 - COORDINATE PLUMBING PIPING WITH AIR CONDITIONING DUCTS, EQUIPMENT AND ELECTRICAL CONDUIT.
 - ALL WATER PIPING SHALL BE RUN ABOVE CEILING UNLESS OTHERWISE NOTED.
 - ALL VENTS THRU ROOF (VTR) SHALL BE OFFSET A MINIMUM OF 15'-0" FROM ALL OUTSIDE INTAKES.
 - PROVIDE HANGER ON ALL HORIZONTAL WATER PIPING INSIDE CHASES WITHIN 6" OF SPECIFIED WATER HAMMER ARRESTOR.

FIXTURE SCHEDULE								
MARK	FIXTURES	FLOOR TO RIM	WASTE	SUPPLY		FIX. CONN.		REMARKS
				HOT	COLD	HOT	COLD	
WC1	WATER CLOST	15'	4"	---	1"	---	1"	
WC2	WATER CLOST	17"	4"	---	1"	---	1"	ADA
WC3	WATER CLOST	17"	4"	---	1/2"	---	1/2"	ADA
UR1	URINAL	24"	2"	---	3/4"	---	3/4"	
UR2	URINAL	17"	2"	---	3/4"	---	3/4"	ADA
LV1	LAVATORY	CT	1 1/4"	1/2"	1/2"	3/8"	3/8"	ADA
LV2	LAVATORY	34"	1 1/4"	1/2"	1/2"	3/8"	3/8"	ADA
EW1	ELECTRIC WATER COOLER	36"	1 1/4"	---	1/2"	---	3/8"	ADA w/BOTTLE FILLER MOUNT AT 36" ABOVE FINISHED FLOOR TO BUBBLER SPOUT
SH1	SHOWER ASSEMBLY	VALVES @ 48"	---	1/2"	1/2"	1/2"	1/2"	
SH2	SHOWER ASSEMBLY	VALVES @ 48"	---	1/2"	1/2"	1/2"	1/2"	ADA

REVISION	DATE	DESCRIPTION

THIS DRAWING IS THE PROPERTY OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS. NO PART OF THIS DRAWING IS TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM. ANY UNAUTHORIZED REPRODUCTION OR USE OF THIS DRAWING IS PROHIBITED. THE USER OF THIS DRAWING SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AGENCIES.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA

PROJECT NO. 25039
SHEET TITLE LEGEND, SCHEDULE, NOTES, & DETAILS - PLUMBING
DATE MAY 18, 2026
DRAWN BY CWS
CHECKED BY WHD
SHEET NUMBER P0.1

REVISION

THIS DRAWING IS THE PROPERTY OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENDINGS WITHOUT THE WRITTEN OR IMPRINTED CONSENT OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS, INC. IN WRITING AND WITH APPROPRIATE COMPENSATION.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA

PROJECT NO.
25039

SHEET TITLE
FIELD HOUSE PLAN -
DEMOLITION - PLUMBING

DATE
MAY 18, 2026

DRAWN BY
CWS

CHECKED BY
WHD


SHEET NUMBER
P1.1

GENERAL NOTES: (THIS SHEET ONLY)

- ① CONTRACTOR TO CAMERA ALL BELOW SLAB SANITARY PIPING, CAMERA PIPING INSIDE BUILDING AND EXTERIOR OF THE BUILDING ALL THE WAY OUT TO THE MANHOLE. CONTRACTOR TO IDENTIFY ANY BLOCKS, BREAKAGES, OR IMPEDIMENTS TO FLOW. NOTIFY OWNER AND DESIGN PROFESSIONAL OF ANY ISSUES FOUND DURING CAMERA INVESTIGATION.

NOTES: (THIS SHEET ONLY)

- ① REMOVE EXISTING PLUMBING FIXTURE, COVER AND PROTECT PIPING. WASTE AND UTILITY CONNECTIONS ARE TO REMAIN AS IS.
- ② REMOVE EXISTING PLUMBING FIXTURE, WASTE AND UTILITY PIPING ARE TO BE REWORKED IN NEW WORK PHASE FOR NEW FIXTURE LOCATION
- ③ EXISTING PLUMBING FIXTURES TO REMAIN AS IS.
- ④ EXISTING FLOOR DRAIN IS TO REMAIN, REMOVE EXSITNG GRATE.
- ⑤ CAP EXISTING TRAP PRIMER IN WALL.



1 FIELD HOUSE PLAN - DEMOLITION - PLUMBING
SCALE: 1/8" = 1'-0"
8 0 4 8 16

REVISION

REVISION

THIS DRAWING IS THE PROPERTY OF SPDG ARCHITECTS AND ENGINEERS, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS WITHOUT THE WRITTEN OR ELECTRONIC APPROVAL OF SPDG ARCHITECTS AND ENGINEERS, INC. IN WRITING AND WITH APPROPRIATE COMPENSATION.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA

PROJECT NO.
25039

SHEET TITLE
FIELD HOUSE PLAN -
NEW WORK - PLUMBING

DATE
MAY 18, 2026

DRAWN BY
CWS

CHECKED BY
WHD


SHEET NUMBER
P2.1

GENERAL NOTES: (THIS SHEET ONLY)

- ① CONNECT NEW PLUMBING FIXTURES TO EXISTING PIPING STUBOUTS. FIXTURE ROUGH-INS ON SCHEDULE HAVE BEEN PROVIDED BASED ON CASUAL FIELD OBSERVATIONS AND ON THE EXISTING DRAWINGS. CONTRACTOR TO FIELD VERIFY ALL ROUGH-INS PRIOR TO ORDERING ANY FIXTURES AND NOTIFY DESIGN PROFESSIONAL OF ANY DISCREPANCIES.

NOTES: (THIS SHEET ONLY)

- ① CONNECT NEW WATER CLOSETS AND URINALS TO EXISTING PIPING STUBOUTS. MATCH WATER CLOSET AND URINAL HEIGHT AND FLUSH VALVE ROUGH-IN WITH NEW FIXTURE CONNECTIONS.
- ② RE-ROUTE EXISTING SANITARY PIPING BELOW FLOOR AND UTILITY PIPING IN WALL TO MATCH NEW FIXTURE LOCATION.
- ③ CONNECT NEW WALL HUNG LAVATORY TO EXISTING PIPING STUBOUTS.
- ④ CONNECT NEW SHOWER TO EXISTING PIPING IN WALL.
- ⑤ EXISTING FLOOR DRAIN IS TO REMAIN. PROVIDE NEW GRATE AND TRAP SEAL ASSEMBLY FOR EXISTING FLOOR DRAIN.



1 FIELD HOUSE PLAN - NEW WORK - PLUMBING
SCALE: 1/8" = 1'-0"
8 0 4 8 16

REVISION

THIS DRAWING IS THE PROPERTY OF SPDG GROUP ARCHITECTS AND ENGINEERS, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS WITHOUT THE WRITTEN OR ELECTRONIC CONSENT OF SPDG GROUP ARCHITECTS AND ENGINEERS, INC. CONSULT WITH APPROPRIATE COMPETENT PROFESSIONALS.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA

PROJECT NO.
25039


SHEET TITLE
FIELD HOUSE
ROOF PLAN -
DEMOLITION - HVAC

DATE
MAY 18, 2026

DRAWN BY
DRD

CHECKED BY
WSH

SHEET NUMBER
M1.2




GENERAL NOTES: (THIS SHEET ONLY)
 1 DRAWINGS HAVE BEEN PRODUCED BASED ON FIELD SURVEYS. THESE DOCUMENTS REFLECT EXISTING CONDITIONS TO THE BEST OF OUR KNOWLEDGE. HOWEVER, IT IS ANTICIPATED THERE ARE DISCREPANCIES VERSUS THE AS-BUILT CONDITION. CONTRACTOR IS TO IDENTIFY AND NOTIFY PROFESSIONAL AND OWNER OF ANY DISCREPANCIES BEFORE PERFORMING ANY WORK.

NOTES: (THIS SHEET ONLY)
 1 DEMOLISH EXHAUST FAN AND ALL DUCTWORK AND OTHER ASSOCIATED APPURTENANCES.
 2 EXISTING ROOF OPENING TO BE REUSED.
 3 PROVIDE INSULATED METAL ROOF CAP.

1 FIELD HOUSE ROOF PLAN - DEMOLITION - HVAC
 SCALE: 1/8" = 1'-0"
 8 0 4 8 16

LINE LEGEND	
-----	EXISTING TO REMAIN
////	DEMOLITION



SEP Engineers Inc.
COMPE000714
CCA Expires 6/30/2026

REVISION

THIS DRAWING IS THE PROPERTY OF SP DESIGN GROUP ARCHITECTS AND ENGINEERS, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENDED TO OTHER PROJECTS OR SITES WITHOUT THE WRITTEN AND WITH APPROPRIATE COMPENSATION.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA

PROJECT NO.
25039

SHEET TITLE
FIELD HOUSE PLAN -
NEW WORK - HVAC


DATE
MAY 18, 2026

DRAWN BY
DRD


CHECKED BY
WSH

SHEET NUMBER

M2.1



1 FIELD HOUSE PLAN - NEW WORK - HVAC
SCALE: 1/8" = 1'-0"



- NOTES:** (THIS SHEET ONLY)
- ① 22/20 EXHAUST DUCT UP TO EF-1 ON ROOF ABOVE. USE EXISTING ROOF PENETRATION.
 - ② 16/14 EXHAUST DUCT UP TO EF-2 ON ROOF ABOVE. USE EXISTING ROOF PENETRATION.
 - ③ 6" EXHAUST DUCT UP TO CAP ON ROOF ABOVE. USE EXISTING ROOF PENETRATION.
 - ④ 8" EXHAUST DUCT UP TO EF-4 ON ROOF ABOVE. USE EXISTING ROOF PENETRATION.
 - ⑤ ROUTE CONDENSATE PIPE TO DRYWELL. SEE DETAIL 7/M5.2.
 - ⑥ ROUTE CONDENSATE PIPE TO NEAREST MOP BASIN.
 - ⑦ ROUTE DUCTWORK IN BETWEEN TRUSSES. COORDINATE EXACT LOCATION OF DUCT ROUTING WITH EXISTING TRUSS LAYOUT.

LINE LEGEND	
	POINT OF CONNECTION
	EXISTING TO REMAIN
	NEW WORK

REVISION

THIS DRAWING IS THE PROPERTY OF SPDG GROUP ARCHITECTS AND ENGINEERS, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS WITHOUT THE WRITTEN OR ELECTRONIC CONSENT OF SPDG GROUP ARCHITECTS AND ENGINEERS, INC. CONSULT WITH APPROPRIATE COMMISSIONS.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA

PROJECT NO.
25039

SHEET TITLE
FIELD HOUSE
ROOF PLAN -
NEW WORK - HVAC


DATE
MAY 18, 2026

DRAWN BY
DRD

CHECKED BY
WSH


SHEET NUMBER

M2.2




1 FIELD HOUSE ROOF PLAN - NEW WORK - HVAC
SCALE: 1/8" = 1'-0"
8 0 4 8 16


LINE LEGEND	
	POINT OF CONNECTION
	EXISTING TO REMAIN
	NEW WORK




1 DIFFUSER RUNOUT DUCT TAKEOFF
NOT TO SCALE




2 DETAIL AT TYPICAL GENERAL EXHAUST GRILLE - UNLINED
NOT TO SCALE




3 RELIEF AIR SUPPLY TO TOILET (RAS)
NOT TO SCALE




4 EXISTING CURB CLOSURE DETAIL
NOT TO SCALE



5 FAN ON ROOF
NOT TO SCALE



6 ROOF CAP ON SLOPED ROOF
NOT TO SCALE




NOTE: SLOPES ARE AS FOLLOWS:
1. 3/8" TO 12" KITCHEN E.F. CURB
2. 4" TO 12" PENTHOUSE CURB (SIM)

7 FAN/PENTHOUSE ON SLOPED ROOF
NOT TO SCALE


THIS DRAWING IS THE PROPERTY OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN, AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS WITHOUT THE WRITTEN OR IMPRINTED CONSENT OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA


PROJECT NO.	25039
SHEET TITLE	DETAILS - HVAC
DATE	MAY 18, 2026
DRAWN BY	DRD
CHECKED BY	WSH
SHEET NUMBER	M5.1




1 WALL MOUNTED LOUVER WITH PLENUM
NOT TO SCALE




2 RECTANGULAR FLEXIBLE CONNECTION DETAIL
NOT TO SCALE




3 RTU DRAIN TRAP
NOT TO SCALE




4 REFRIGERANT PIPING
NOT TO SCALE




5 TRAPEZE PIPE HANGER
NOT TO SCALE



6 PIPE SLEEVE FOR INSULATED PIPE THRU WALL - ABOVE GRADE
NOT TO SCALE



7 CONDENSATE DRAIN DRY WELL
NOT TO SCALE



(PAD SIZE TO BE 12\"/>

8 CONCRETE PAD
NOT TO SCALE

NO.	DESCRIPTION

NO.	DESCRIPTION

THIS DRAWING IS THE PROPERTY OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS WITHOUT THE WRITTEN OR ELECTRONIC CONSENT OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS.

FVSU FIELD HOUSE MODIFICATIONS
AT
FORT VALLEY STATE UNIVERSITY
FOR
THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
FORT VALLEY, GEORGIA

PROJECT NO.
25039

SHEET TITLE
DETAILS - HVAC

DATE
MAY 18, 2026

DRAWN BY
DRD

CHECKED BY
WSH

SHEET NUMBER
M5.2


LIGHTING FIXTURE SCHEDULE					
MARK	LAMPS	VOLT.	FIXTURE TYPE-SEE SPECIFICATIONS	MOUNTING	REMARKS
A	LED 5500 LUM 60 WATTS 4000K	120V	4'-0" LINEAR LED STRIP LITHONIA TRUW 48 ALO26 FMP 8SWW2 ZT MVOLT COLUMBIA CWP, ETI SCWR, LSI - WNA10, ELITE 4-OW	SURFACE GYP	LENSED
B	LED 4000 LUM 42 WATTS 4000K	120V	4'-0" LINEAR VAPOR TITE STRIP LITHONIA CSVT L48 ALO3 MVOLT SSW3 80CRI COLUMBIA CVT, METALUX APVTS, SLG- VTSC 4, BEHELLI USA ILLUMINA BS101 LED	SURFACE GYP	
C	LED 4000 LUM 42 WATTS 4000K	120V	4'-0" LINEAR WALL MOUNT VANITY LITHONIA WL4 40L MVOLT GZ10 LP840 COLUMBIA ESL4, METALUX SWLED, LSI- W444, ELITE: 4-OC1	SURFACE WALL	
D	LED 5000 LUM 36 WATTS 4000K	120	2X4 FLAT PANEL W/ SURFACE KIT LITHONIA CPX 2X4 ALO8HE SSW7 UVOLT M2 COLUMBIA CBT, METALUX CGTS, SLG- TPHE 24, HE WILLIAMS; BP_fieldselect	SURFACE GYP	PROVIDE W/ SURFACE MOUNT KIT
E	LED 3500 LUM 26 WATTS 4000K	120	12" SQUARE LED CANOPY LITHONIA SCNY LED ALO2 SSW2 PFL MVOLT DWHXD M3 BEACON CLO, SPITZER PGCS, LSI- CRUS SC, TRULY GREEN SOLUTIONS SCP	SEMI- RECESSED	
G	LED 2900-13,850 LUM 108WATTS 4000K	120	SURFACE MOUNT WALL PACK LITHONIA TWX3 LED ALO 40K MVOLT DDBTXD EXO WGH, SPITZER WPSC, SLG- WPC, ELITE: OWP	SURFACE	
X-1	LED	120	UNIVERSAL EXIT SIGN LITHONIA LE S B 1 R MVOLT EL N SD DUAL-LITE SE, SURE-LITES CX SERIES, LSI- EXC, ELITE ELX	SURFACE	

ELECTRICAL LEGEND			
LIGHTING FIXTURES (SYMBOLS VARY BASED ON FIXTURES TYPE)			
	LED ON "NORMAL" POWER		LIFE SAFETY EGRESS FIXTURE
	CEILING MOUNTED FIXTURE		EXIT LIGHT (ARROWS AS SHOWN)
	WALL MOUNTED FIXTURE		EMERGENCY BATTERY PACK-WALL
	TRACK LIGHTS: QUANTITY OF HEADS AS SHOWN		EMERGENCY BATTERY PACK-CEILING
LIGHTING CONTROL			
	SINGLE POLE SWITCH		CEILING MOUNTED ULTRASONIC OCCUPANCY SENSOR AND RELAY
	THREE WAY SWITCH		CEILING/WALL MOUNTED INFRARED OCCUPANCY SENSOR AND RELAY
	FOUR WAY SWITCH		CEILING MOUNTED COMBINATION INFRARED/ULTRASONIC OCCUPANCY SENSOR AND RELAY - VACANCY AUTO SHUT OFF
	DIMMER SWITCH		SWITCHING PHOTOCELL (INTERIOR TYPE) F.C. NOTED
	KEYED SWITCH		DIMMING PHOTOCELL (INTERIOR TYPE)
	WALL MOUNTED SWITCH		EXTERIOR TYPE PHOTO SWITCH
	INFRARED OCCUPANCY SENSOR		"P" INDICATES PILOT LIGHT
	LOW VOLTAGE OVERRIDE SWITCH		
	SINGLE ZONE LOW VOLTAGE SWITCH		
	TWO ZONE LOW VOLTAGE SWITCH		
	FOUR ZONE LOW VOLTAGE SWITCH		
RECEPTACLES			
	DUPLEX RECEPTACLE - NORMAL		ELECTRIC WATER COOLER RECEPTACLE(GFCI)
	QUAD - NORMAL		WEATHER PROOF RECEPTACLE (GFCI)
	GFCI DUPLEX RECEPTACLE - NORMAL		HORIZONTALLY MOUNTED DUPLEX RECEPTACLE
	GFCI QUAD - NORMAL		SPECIAL - TYPE NOTED OR SHOWN
	FLOOR DUPLEX RECEPTACLE - NORMAL		CEILING SPECIAL - TYPE NOTED OR SHOWN
	FLOOR QUAD - NORMAL		WALL/CEILING RACEWAY
	CEILING DUPLEX RECEPTACLE - NORMAL		CLOCK OUTLET
	DUPLEX RECEPTACLE WITH INTEGRAL USB		ABOVE COUNTER DUPLEX RECEPTACLE (COORDINATE HEIGHT WITH ARCHITECT)
	TV DUPLEX RECEPTACLE		DUPLEX RECEPTACLE - GENERATOR CIRCUIT, RED IN COLOR
	DUPLEX RECEPTACLE MOUNTED IN RACEWAY		QUAD - GENERATOR CIRCUIT, RED IN COLOR
	DUPLEX RECEPTACLE - TAMPER PROOF		
CIRCUITS			
	CONDUIT CONCEALED IN CEILING OR WALL		RACEWAY EXPOSED
	CONDUIT IN GROUND, SLAB, OR UNDER FLOOR		FLEXIBLE RACEWAY
	HOMERUN - ONE ARROW PER CIRCUIT		CONDUIT UP
			CONDUIT DOWN
			CAP
			CONNECTION TO EQUIPMENT
GENERAL EQUIPMENT			
	PANELBOARD-250 VAC OR LESS SURFACE MOUNTED		SURGE SUPPRESSOR
	PANELBOARD-250 VAC OR LESS RECESSED		JUNCTION BOX - WALL/CEILING/FLOOR
	PANELBOARD-OVER 250 VAC SURFACE MOUNTED		MOTOR
	PANELBOARD-OVER 250 VAC RECESSED		EXHAUST FAN
	TRANSFORMER		COMBINATION STARTER AND MOTOR RATED SWITCH
	DISCONNECT SWITCH: "F" IF FUSED FRAME AMPSPOLINESIMA TYPE FUSE PER MANUFACTURERS RECOMMENDATIONS		MANUAL STARTER AND MOTOR RATED SWITCH
			EMERGENCY PUSHBUTTON
			ENCLOSED CIRCUIT BREAKER
			ENCLOSED BREAKER-RECESSED IN WALL
			BACKBOARD
			CABLE TRAY
FIRE PROTECTION EQUIPMENT			
	FIRE ALARM PANEL		DUCT MOUNTED SMOKE DETECTOR
	FIRE ALARM ANNUNCIATOR		SMOKE DETECTOR: CEILING / WALL
	MANUAL PULL STATION		HEAT DETECTOR: CEILING / WALL
	AUDIO/VISUAL ALARM: CEILING/WALL		WATER FLOW SWITCH
	VISUAL ALARM: CEILING/WALL		WATER TAMPER SWITCH
	SPEAKER/VISUAL ALARM: CEILING/WALL		DOOR HOLDER
	SMOKE DETECTOR/SENSOR - BEAM TRANSMITTER		FIREMAN'S PHONE OUTLET
	SMOKE DETECTOR/SENSOR - BEAM RECEIVER		
COMMUNICATIONS			
	VOICE OUTLET, QUANTITY OF JACKS AS NOTED		MICROPHONE: FLOOR/WALL
	DATA OUTLET, QUANTITY OF JACKS AS NOTED		SPEAKER: CEILING/WALL
	COMBINATION VOICE/DATA OUTLET, QUANTITY OF VOICE/DATA JACKS AS NOTED		FIBER OUTLET
	FLOOR VOICE OUTLET, QUANTITY OF JACKS AS NOTED		TELEVISION OUTLET
	FLOOR DATA OUTLET, QUANTITY OF JACKS AS NOTED		BOX, STUB-UP, AND MODULAR PLATE W/ BLANKS
	FLOOR COMBINATION VOICE/DATA OUTLET, QUANTITY OF JACKS AS NOTED		WALL MOUNTED VOLUME CONTROL
	DATA OUTLET MOUNTED IN RACEWAY		INTERCOM CALL-IN STATION
			INTERCOM MASTER STATION
			MASTER CLOCK
			J-HOOK
			CABLE TRAY
LIGHTNING PROTECTION AND GROUNDING			
	GROUNDING CONDUCTOR- UNDER SLAB OR BELOW GRADE		GROUNDING CONDUCTOR- CONCEALED IN ROOF OR WALLS
	GROUND ROD - C IF CHEMICAL		GROUNDING CONDUCTOR- EXPOSED
	GROUND CONNECTION (SCHEMATIC)		AIR TERMINAL
			GROUNDING PLATE
SECURITY			
	CARD READER		SECURITY CAMERA: CEILING/WALL MOUNTED
	DOOR POSITION SENSOR		
	ELECTRIC STRIKE		



Architects and Engineers Inc.

5191 Columbus Rd.
Macon, GA 31206
(706) 477-7465
(706) 477-9511
frontdesk@spdeslgrpr.com



SEP Engineers Inc.
COMP#PE000714
CCA Exp#04/06/2026

REVISION

REVISION

THIS DRAWING IS THE PROPERTY OF SEP ENGINEERS INC. AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN AND WITH APPROPRIATE COMPENSATION.

FVSU FIELD HOUSE MODIFICATIONS
 AT
 FORT VALLEY STATE UNIVERSITY
 FOR
 THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
 FORT VALLEY, GEORGIA

PROJECT NO.
25039


SHEET TITLE
LEGENDS & SCHEDULES - ELECTRICAL

DATE
MAY 18, 2026

DRAWN BY
JCW

CHECKED BY
TWT

SHEET NUMBER
E0.1



1 FIELD HOUSE PLAN - DEMOLITION - LIGHTING
 SCALE: 1/8" = 1'-0"
 8 0 4 8 16


GENERAL NOTES: (THIS SHEET ONLY)

- (A) DRAWINGS FOR ARCHITECTURAL AND ENGINEERING WORK HAVE BEEN PREPARED USING "AS-DESIGN" DOCUMENTS. NEITHER THE OWNER NOR THE ARCHITECT WARRANT THESE TO BE "AS-BUILT" DOCUMENTS AND ACTUAL CONDITIONS AT THE SITE MAY VARY.
- (B) THE WORK INDICATED IS INTENDED TO SHOW THE GENERAL SCOPE OF DEMOLITION/NEW WORK AND IN NO WAY RELIEVES THE CONTRACTOR FROM PROVIDING ANY AND ALL WORK REQUIRED TO COMPLETE THE DEMOLITION/NEW WORK.
- (C) COORDINATE DEMOLITION WORK WITH NEW WORK.
- (D) PROTECT FROM DAMAGE/MAINTAIN EXISTING ITEMS, COMPONENTS, BUILDING SYSTEMS, ETC. ADJACENT TO OR NEAR AREA REQUIRING WORK.
- (E) CONTRACTOR TO LIMIT THE AMOUNT OF NOISE, DUST, AND POLLUTION.
- (F) REMOVE ALL CONDUCTORS FROM CIRCUITS THAT WILL NO LONGER BE IN USE TO THE POINT OF LAST TERMINATION. THERE SHALL BE NO UNTERMINATED CONDUCTORS. PROVIDE BLANK COVER FOR ANY ABANDONED BOXES. WHERE CONDUIT IN SLAB IS ABANDONED CUT FLUSH TO FLOOR AND FINISH TO MATCH EXISTING SURROUNDINGS.



Architects and Engineers Inc.

5191 Columbus Rd.
 Macon, GA 31206
 (P)478.477.7465
 (F)478.477.9511
 frontdesk@spdeslgngrp.com



REVISION

THIS DRAWING IS THE PROPERTY OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS WITHOUT THE WRITTEN OR IMPRINTED CONSENT OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS. CONSULT WITH APPROPRIATE COMPETITION.

FVSU FIELD HOUSE MODIFICATIONS
 AT
FORT VALLEY STATE UNIVERSITY
 FOR
 THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
 FORT VALLEY, GEORGIA

PROJECT NO.
25039

SHEET TITLE
FIELD HOUSE PLAN -
DEMOLITION - LIGHTING


DATE
MAY 18, 2026

DRAWN BY
JCW

CHECKED BY
TWT

SHEET NUMBER

E1.1



1 FIELD HOUSE PLAN - NEW WORK - LIGHTING
 SCALE: 1/8" = 1'-0"



GENERAL NOTES: (THIS SHEET ONLY)

- A EMERGENCY FIXTURES SHALL BE PROVIDED WITH AN EMERGENCY BATTERY AND UNSWITCHED LEG OF CIRCUIT SERVING LIGHTS IN THE AREA FOR POWER LOSS SENSING.
- B EXISTING LIGHTING BREAKERS, CONDUCTORS, AND SWITCHES TO BE REUSED FOR NEW WORK UNLESS SHOWN OTHERWISE. IT IS PREFERRED THAT ANY EXPOSED MC CABLE BE RECONFIGURED TO BE CONCEALED ABOVE THE NEW GYP CEILING.
- C MC CABLE (STEEL JACKETED) IS ACCEPTABLE FOR ANY 20A BRANCH LIGHTING CIRCUITS WHEN RUN IN A CONCEALED MANNER.


NOTES: (THIS SHEET ONLY)

- 1 UNSWITCHED SECURITY /EMERGENCY EGRESS FIXTURE. PROVIDE AN EMERGENCY BATTERY FOR THIS FIXTURE. PROVIDE AN UNSWITCHED HOT FOR SENSING POWER LOSS. LIGHT SHALL REMAIN ILLUMINATED UPON LOSS OF POWER.
- 2 PROVIDE AN EMERGENCY BATTERY BALLAST FOR THIS FIXTURE. PROVIDE AN UNSWITCHED HOT FOR SENSING POWER LOSS. LIGHT FIXTURE SHALL SWITCH WITH ROOM LIGHTS. UPON LOSS OF POWER, FIXTURE SHALL ILLUMINATE REGARDLESS OF SWITCH POSITION.



Architects and Engineers Inc.

5191 Columbus Rd.
 Macon, GA 31206
 (706) 477-7465
 (706) 477-9511
 frontdesk@spdeslgnrpr.com



SEAL NO. 1000000714
 EXP. 6/30/2026

REVISION

REVISION

THIS DRAWING IS THE PROPERTY OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENDED BEYOND THE PROJECT OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN CONSENT OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS, INC.

FVSU FIELD HOUSE MODIFICATIONS
 AT
FORT VALLEY STATE UNIVERSITY
 FOR
 THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
 FORT VALLEY, GEORGIA

PROJECT NO.
25039


SHEET TITLE
FIELD HOUSE PLAN -
NEW WORK - LIGHTING

DATE
MAY 18, 2026

DRAWN BY
JCW


CHECKED BY
TWT

SHEET NUMBER
E2.1




MECHANICAL EQUIPMENT POWER											
MECHANICAL TAG	MECHANICAL DESCRIPTION	VOLTAGE/ PH	DISCONNECT TYPE	DISCONNECT SIZE AMP/POLE/NEMA	BREAKER SIZE (A)	CONDUCTOR SIZE (AWG)	CONDUIT SIZE	CIRCUIT	LOCATION	NOTES	HP/KW
AHU-1	AIR HANDLER UNIT	208/3	FUSED DISCONNECT	200A/3P/3R	125A	4#1, 1#6	1.5"	X	X	2.3,4	31.8 KW HEATER
DCU-1	MINI SPLIT CU	208/1	FUSED DISCONNECT	30A/2P/3R	15A	4#12	1/2"	LC-7		12.3,4	1
DCU-2	MINI SPLIT CU	208/1	FUSED DISCONNECT	30A/2P/3R	15A	4#12	1/2"	LC-11		12.3,4	1
DCU-3	MINI SPLIT CU	208/1	FUSED DISCONNECT	30A/2P/3R	15A	4#12	1/2"	LC-15		12.3,4	1
DCU-4	MINI SPLIT CU	208/1	FUSED DISCONNECT	30A/2P/3R	15A	4#12	1/2"	LC-19		12.3,4	1
DCU-5	MINI SPLIT CU	208/1	FUSED DISCONNECT	30A/2P/3R	15A	4#12	1/2"	LC-23		12.3,4	1
DCU-6	MINI SPLIT CU	208/1	FUSED DISCONNECT	30A/2P/3R	15A	4#12	1/2"	LC-27		12.3,4	1
DOAS-1	DEDICATED OUTSIDE AIR	208/3	FUSED DISCONNECT	400A/3P/3R	250A	4#250MCM, 1#4G	2.5"	MDP-19		2.3,4	82KW + 2 - 2hp fans
DOAS-2	DEDICATED OUTSIDE AIR	208/3	FUSED DISCONNECT	125A/3P/3R	125A	4#1, 1#6	1.5"	MDP-20		2.3,4	32.8 KW
EW-1	ELEC WALL HTR	208/1	FUSED DISCONNECT	30A/2P	15A	4#12	1/2"	LC-8		2.3,4	2.3,4
EF-1	EXHAUST FAN	208/1	FUSED DISCONNECT	30A/2P	15A	4#12	1/2"	LC-12		2.3,4	2.3,4
EF-2	EXHAUST FAN	208/1	FUSED DISCONNECT	30A/2P	15A	4#12	1/2"	LC-16		2.3,4	2.3,4
EF-3	EXHAUST FAN	208/1	MOTOR RATED SWITCH	20A	15A	3#12	1/2"	LC-20		2.3	2.3
EF-4	EXHAUST FAN	208/1	MOTOR RATED SWITCH	20A	15A	3#12	1/2"	LC-22		2.3	2.3

1. OUTDOOR UNIT PROVIDES POWER TO INDOOR UNIT. PROVIDE STRANDED CONDUCTORS BETWEEN THESE UNITS.
2. PROVIDE DISCONNECT ADJACENT TO HVAC EQUIPMENT WITH 36" CLEARANCE IN FRONT OF ANY OPERABLE PARTS.
3. WIRE FROM DISCONNECT INTO HVAC UNIT. MAKE FINAL CONNECTIONS.
4. PROVIDE FUSE PER MANUFACTURERS RECOMMENDATIONS.



NOTES: (THIS SHEET ONLY)
 ① IN THIS LOCATION PROVIDE A RECESSED JUNCTION BOX AND CONCEALED CONDUIT TO ABOVE THE ACCESSIBLE CEILING TO SUPPORT THE NEW DRYER. COORDINATE WITH ARCHITECT PRIOR TO ANY ROUGHING. ROUTE 3"X12 IN 2" TO BREAKER INDICATED. EC TO MAKE ALL FINAL CONNECTIONS.

1 FIELD HOUSE PLAN - NEW WORK - POWER/SYSTEMS/HVAC POWER
 SCALE: 1/8" = 1'-0"




REVISION



THIS DRAWING IS THE PROPERTY OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS WITHOUT THE WRITTEN OR IMPRINTED CONSENT OF SPDESIGN GROUP ARCHITECTS AND ENGINEERS. ANY VIOLATION WILL BE PROSECUTED TO THE FULL EXTENT OF THE LAW.

FVSU FIELD HOUSE MODIFICATIONS
 AT
FORT VALLEY STATE UNIVERSITY
 FOR
 THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
 FORT VALLEY, GEORGIA

PROJECT NO. 25039
SHEET TITLE FIELD HOUSE PLAN - NEW WORK - POWER/SYSTEMS/HVAC POWER
DATE MAY 18, 2026
DRAWN BY JCW
CHECKED BY TWT
SHEET NUMBER E4.1



1 FIELD HOUSE ROOF PLAN - NEW WORK - SYSTEMS/HVAC POWER
 SCALE: 1/8" = 1'-0"



SPD Engineers, Inc.
 License No. 0000000774
 CCA Exp. 06/30/2026

REVISION

THIS DRAWING IS THE PROPERTY OF SP
 DESIGN GROUP ARCHITECTS AND ENGINEERS.
 NOT TO BE REPRODUCED OR COPIED FOR
 PROJECT AND SITE SPECIFICALLY
 IDENTIFIED AREAS AND IS NOT TO BE
 USED ON OTHER PROJECTS OR EXTENSIONS
 WITHOUT THE WRITTEN PERMISSION OF
 THE DESIGNER AND WITH APPROPRIATE
 COMPENSATION.

FVSU FIELD HOUSE MODIFICATIONS
 AT
FORT VALLEY STATE UNIVERSITY
 FOR
 THE BOARD OF REGENTS OF THE UNIVERSITY SYSTEM OF GEORGIA
 FORT VALLEY,
 GEORGIA

PROJECT NO.
25039

SHEET TITLE
FIELD HOUSE
ROOF PLAN -
NEW WORK - SYSTEMS/
HVAC POWER

DATE
MAY 18, 2026

DRAWN BY
JCW

CHECKED BY
TWT

SHEET NUMBER

E4.2

208 / 120 3		PH. WIRE		EXISTING		FED BY		MCB 800 SURFACE		AMPS MOUNTED					
CKT	TRIP	POLE	WIRE	CD.	SERVES	VOLT-AMPS	PHASE LOAD V.A. A B C	POLE	VOLT-AMPS	SERVES	CD.	WIRE	TRIP	POLE	CKT
1	400	3			EXISTING PANEL P1		0	0	0	EXISTING PANEL EP			200	2	2
7	20	1			LIGHTING	7	0	0	8	LIGHTING			20	1	6
9	20	1			LIGHTING	9	0	0	10	EXT LIGHTING			20	1	8
11	20	1			LIGHTING	11	0	0	12	LIGHTING			40	2	10
13	20	1			EXTERIOR LTS	13	0	0	14	SPARE			20	2	12
15	20	1			SPARE	15	0	0	16						
17	20	1			SPARE	17	0	0	18	POWER BURNER - (WH)			20	1	16
19	20	1			SPACE	19	0	0	20	SPACE			20	1	18
21	20	1			SPACE	21	0	0	22	SPACE			20		
23	20	1			SPACE	23	0	0	24	SPACE			26		
25	20	1			SPACE	25	0	0	26	SPACE			26		
27	20	1			SPACE	27	0	0	28	SPACE			28		
29	20	1			SPACE	29	0	0	30	SPACE			30		
31	20	1			SPACE	31	0	0	32	SPACE			32		
33	20	1			SPACE	33	0	0	34	SPACE			34		
35	20	1			SPACE	35	0	0	36	SPACE			36		
37	20	1			SPACE	37	0	0	38	SPACE			38		
39	20	1			SPACE	39	0	0	40	SPACE			40		
41	20	1			SPACE	41	0	0	42	SPACE			42		

Minimum KAIC: PANEL SECTION CONN V A 0 0 0 LOCATION:
PANEL SECTION CONN AMPS 0 0 0
MULTISECTION CONN V A 0 0 0
MULTISECTION CONN AMPS 0 0 0

NOTES
1. THE INFORMATION IN THIS SCHEDULE IS BASED ON THE BEST INFORMATION AVAILABLE AT THE TIME THESE DRAWINGS WERE PREPARED, CONTRACTOR TO FIELD VERIFY.

208 / 120 3		PH. WIRE		EXISTING		FED BY		MCB 400 SURFACE		AMPS MOUNTED					
CKT	TRIP	POLE	WIRE	CD.	SERVES	VOLT-AMPS	PHASE LOAD V.A. A B C	POLE	VOLT-AMPS	SERVES	CD.	WIRE	TRIP	POLE	CKT
1					SPACE	1	0	0	2				150	3	2
7					SPACE	7	0	0	8				150	3	8

Minimum KAIC: PANEL SECTION CONN V A 0 0 0 LOCATION:
PANEL SECTION CONN AMPS 0 0 0
MULTISECTION CONN V A 0 0 0
MULTISECTION CONN AMPS 0 0 0

NOTES
1. THE BREAKERS SHOWN HERE AS WELL AS THE ONES SHOWN IN SECTION 2 ARE ALL WITHIN A SINGLE WIDTH COMMON ENCLOSURE.
2. THE INFORMATION IN THIS SCHEDULE IS BASED ON THE BEST INFORMATION AVAILABLE AT THE TIME THESE DRAWINGS WERE PREPARED, CONTRACTOR TO FIELD VERIFY.

208 / 120 3		PH. WIRE		EXISTING		FED BY		MCB 400 SURFACE		AMPS MOUNTED					
CKT	TRIP	POLE	WIRE	CD.	SERVES	VOLT-AMPS	PHASE LOAD V.A. A B C	POLE	VOLT-AMPS	SERVES	CD.	WIRE	TRIP	POLE	CKT
1					SPACE	1	0	0	2				70	3	2
3	20	1			TELEPHONE RECEPTION	3	0	0	4						
5	20	1			RECEP 108	5	0	0	6						
7	20	1			DRYER	7	0	0	8	SF-1			20	1	8
9	20	1				9	0	0	10	RECEP 112			20	1	10
11	20	1			SPARE	11	0	0	12	RECEP 112			20	1	12
13	20	1			RECEP 117	13	0	0	14	RECEP 111			20	1	14
15	20	1			RECEP 116	15	0	0	16	RECEP 114			20	1	16
17	20	1			RECEP 119	17	0	0	18	RECEP 114			20	1	18
19	20	1			RECEP 119	19	0	0	20	RECEP 120			20	1	20
21	20	1			ICE MACHINE	21	0	0	22	ICE			80	3	22
23	20	1			RECEP 119	23	0	0	24						
25	20	1			REFRIGERATOR	25	0	0	26						
27	20	1			WHIRLPOOL#1	27	0	0	28	RECEP 113			20	1	28
29	20	1			WHIRLPOOL#2	29	0	0	30	WASHER			30	3	30
31	20	2			ICE MACHINE	31	0	0	32						
33	20	1				33	0	0	34						
35	20	1				35	0	0	36	WALL HEATER			20	2	36
37	80	3				37	0	0	38						
39	20	1				39	0	0	40	WALL HEATER			20	2	40
41	20	1				41	0	0	42						

Minimum KAIC: PANEL SECTION CONN V A 0 0 0 LOCATION:
PANEL SECTION CONN AMPS 0 0 0
MULTISECTION CONN V A 0 0 0
MULTISECTION CONN AMPS 0 0 0

NOTES
1. THE BREAKERS SHOWN HERE AS WELL AS THE ONES SHOWN IN SECTION 2 ARE ALL WITHIN A SINGLE WIDTH COMMON ENCLOSURE.
2. THE INFORMATION IN THIS SCHEDULE IS BASED ON THE BEST INFORMATION AVAILABLE AT THE TIME THESE DRAWINGS WERE PREPARED, CONTRACTOR TO FIELD VERIFY.

208 / 120 3		PH. WIRE		EXISTING		FED BY		MCB 100 SURFACE		AMPS MOUNTED					
CKT	TRIP	POLE	WIRE	CD.	SERVES	VOLT-AMPS	PHASE LOAD V.A. A B C	POLE	VOLT-AMPS	SERVES	CD.	WIRE	TRIP	POLE	CKT
1	20	1			WASHER	1	0	0	2	DRYER			20	1	2
3	20	1			WASHER	3	0	0	4						
5	20	1			WASHER	5	0	0	6						
7	20	1				7	0	0	8						
9	20	1				9	0	0	10						
11	20	1				11	0	0	12						
13	20	1				13	0	0	14						
15	20	1				15	0	0	16						
17	20	1				17	0	0	18						
19	20	1				19	0	0	20						
21	20	1				21	0	0	22						
23	20	1				23	0	0	24						
25	20	1				25	0	0	26						
27	20	1				27	0	0	28						
29	20	1				29	0	0	30						

Minimum KAIC: PANEL SECTION CONN V A 0 0 0 LOCATION:
PANEL SECTION CONN AMPS 0 0 0
MULTISECTION CONN V A 0 0 0
MULTISECTION CONN AMPS 0 0 0

NOTES
1. THE BREAKERS SHOWN HERE AS WELL AS THE ONES SHOWN IN SECTION 2 ARE ALL WITHIN A SINGLE WIDTH COMMON ENCLOSURE.
2. THE INFORMATION IN THIS SCHEDULE IS BASED ON THE BEST INFORMATION AVAILABLE AT THE TIME THESE DRAWINGS WERE PREPARED, CONTRACTOR TO FIELD VERIFY.

208 / 120 1		PH. WIRE		EXISTING		FED BY		MCB 200 FLUSH		AMPS MOUNTED					
CKT	TRIP	POLE	WIRE	CD.	SERVES	VOLT-AMPS	PHASE LOAD V.A. A B C	POLE	VOLT-AMPS	SERVES	CD.	WIRE	TRIP	POLE	CKT
1	60	2			WATER HEATER	1	0	0	2				30	2	2
5	20	2			CU	5	0	0	6	SINK RECEP			20	1	6
9	20	1			BATH LTS	9	0	0	10	RECEP MAIN LOBBY			20	1	10
11	20	1			MAIN AREA LTS	11	0	0	12	WATER COOLER			20	1	12
13	20	1			MAIN AREA LTS	13	0	0	14	NEW RECEP			20	1	14
15	20	1				15	0	0	16				30	2	16
17	20	1			LTS (NEW)	17	0	0	18						
19	20	1			SPARE	19	0	0	20	SPACE					
21	20	1			SPARE	21	0	0	22	SPACE					
23	20	1			SPACE	23	0	0	24	SPACE					
25	20	1			SPACE	25	0	0	26	SPACE					
27	20	1			SPACE	27	0	0	28	SPACE					
29	20	1			SPACE	29	0	0	30	SPACE					
31	20	1			SPACE	31	0	0	32	SPACE					
33	20	1			SPACE	33	0	0	34	SPACE					
35	20	1			SPACE	35	0	0	36	SPACE					
37	20	1			SPACE	37	0	0	38	SPACE					
39	20	1			SPACE	39	0	0	40	SPACE					

Minimum KAIC: PANEL SECTION CONN V A 0 0 0 LOCATION:
PANEL SECTION CONN AMPS 0 0 0
MULTISECTION CONN V A 0 0 0
MULTISECTION CONN AMPS 0 0 0

NOTES
1. THE BREAKERS SHOWN HERE AS WELL AS THE ONES SHOWN IN SECTION 2 ARE ALL WITHIN A SINGLE WIDTH COMMON ENCLOSURE.
2. THE INFORMATION IN THIS SCHEDULE IS BASED ON THE BEST INFORMATION AVAILABLE AT THE TIME THESE DRAWINGS WERE PREPARED, CONTRACTOR TO FIELD VERIFY.

208 / 120 3		PH. WIRE		MODIFIED EXISTING		FED BY		MCB 800 SURFACE		AMPS MOUNTED					
CKT	TRIP	POLE	WIRE	CD.	SERVES	VOLT-AMPS	PHASE LOAD V.A. A B C	POLE	VOLT-AMPS	SERVES	CD.	WIRE	TRIP	POLE	CKT
1	400	3			EXISTING PANEL P1		0	0	2	EXISTING PANEL EP			200	2	2
7	20	1			LIGHTING	7	0	0	8	LIGHTING			20	1	6
9	20	1			LIGHTING	9	0	0	10	EXT LIGHTING			20	1	8
11	20	1			LIGHTING	11	0	0	12	LIGHTING			20	1	10
13	20	1			EXTERIOR LTS	13	0	0	14	SPARE			40	2	12
15	20	1			SPARE	15	0	0	16						
17	20	1			SPARE	17	0	0	18	POWER BURNER - (WH)			20	1	16
19	250	3			SEE MECH EQUIP	DOAS-1	29373	19	43579	DOAS-2	SEE MECH EQUIP		125	3	18
21	20	1			SCHEDULE	29373	21	43579	22	14206	SCHEDULE				
23	20	1			SCHEDULE	29373	23	43579	24	14206	SCHEDULE				
25	20	1			SPACE	25	14290	26	14290	AHU-1	SEE MECH EQUIP		125	3	26
27	20	1			SPACE	27	14290	28	14290	SCHEDULE					
29	20														