



CITY OF ATLANTA

DEPARTMENT OF PROCUREMENT
SUITE 1900
55 TRINITY AVENUE, SW
ATLANTA, GA 30303
(404) 546-1000

Andre Dickens
Mayor

Chandra Houston
Interim Chief Procurement Officer

Excellence in VALUE CREATION through Partnership, Collaboration, and Innovation

Material Type: Fitness Equipment
Item Number: Asset Management
Revision Date: 4/14/2025

CITY OF ATLANTA SPECIFICATION FOR IFB-G- FITNESS EQUIPMENT FOR ATLANTA FIRE RESCUE

SCOPE AND CLASSIFICATION - PART I

Scope - This specification describes minimum requirements for the purchase of fitness equipment for the Atlanta Fire Rescue Department. Please refer to Scope and Classification – Part II.

Classification - The material(s) must be classified as follows:

GROUP	I	-	Upright Bike – Matrix U5X
GROUP	II	-	Matrix Aura Functional Trainer 400 Stack
GROUP	III	-	Ascent Trainer
GROUP	IV	-	Treadmill
GROUP	V	-	AirdyneX Fan Bike
GROUP	VI	-	Matrix Magnetic Rower
GROUP	VII	-	Matrix C5x Climb Mill
GROUP	VIII	-	Medicine Balls
GROUP	IX	-	Kettlebells

GROUP	X	-	Dumbbells
GROUP	XI	-	Universal Storage Rack
GROUP	XII	-	Foam Rollers
GROUP	XIII	-	Exercise Mats
GROUP	XIV	-	Stability Ball
GROUP	XV	-	Adjustable Bench
GROUP	XVI	-	Installation & Setup
GROUP	XVII	-	Preventive Maintenance
GROUP	XVIII	-	Repair, Service, and Parts

SPECIFICATION REQUIREMENTS

1. **Standards And Specifications** – Material(s), goods, Parts or Service(s) being solicited under this IFB must comply with all applicable industry standards, where applicable and in effect at time of delivery.
2. **Equipment.** The equipment to be furnished must be currently on production and must be manufacturer's standard model complete with all standard equipment. Bidder must be able to supply 90% of Parts required to maintain this equipment within 24 hours and have access to the remaining 10% of Parts within 72 hours. \
3. **Safe Use of Equipment.** Bidder (where applicable) must provide a minimum of four (4) hours instruction on the proper and safe use of the equipment at the Bidder's expense.
4. **Manuals.** Upon request by the City, Bidder must provide parts, service, and operating manuals for each unit of equipment provided and submit electronically, one (1) set of descriptive literature.
5. **Brand Name or Trade Name Instructions.** If items in this IFB have been identified, described, or referenced by a brand name or trade name description, such identification is intended to be descriptive, but not restrictive and is to indicate the quality and characteristics of products that may be offered. Products may be considered for award if such products are clearly identified in the bids and are determined by the City of Atlanta to meet its needs in all respects.

6. **Like or Similar Goods.** Bidder is only permitted to provide like or similar goods or services to those identified in its bid, if the goods or services identified in the bid are discontinued or out of stock. Vendor must provide like or similar goods or services at the same price(s) quoted in its bid. The City will not absorb any cost increases for like or similar goods or services.
 - 6.1. Bidder must provide like, or similar goods or services not listed in the bid price (s) at or below standard industry rates.
 - 6.2. Bidder must meet or beat store, municipal, state and federal pricing for items bid on.
 - 6.3. Bidder must provide like and similar goods or a direct substitute not listed on pricing lines at _____% discount from catalog prices.
7. **Quality Assurance**
 - 7.1. **Test and Inspection.** It is the Bidder's responsibility to perform all tests and inspections required by this specification unless otherwise stated in the purchase order, data sheet, and/or contract. The Bidder may use in the process his/her own facility or any recognized independent laboratory acceptable to the City of Atlanta. The City of Atlanta reserves the right to perform any of the tests and inspection requirements where such tests and inspections are needed to further determine compliance with the specification. If such testing is needed, Bidder must pay for all testing costs.
 - 7.2. **Certification.** Material covered by this specification must be manufacturer original parts or approved by the manufacturer for use in the specified systems. Certification to this standard must be provided with the Parts and/or Service. It is Bidder's responsibility to ensure that that all parts and/or services meet industry standards. Full acceptance of the materials must be subject upon findings of suitability as determined under Subsection 13.1.
 - 7.3. **Sampling.** It is the Bidder's responsibility to submit a random sample testing in accordance with this specification. Material furnished must be identical to the sample submitted for performance test and must comply with the requirements set forth herein. If the material does not comply with the requirements of this specification, or is not identical to the original sample submitted, the Bidder must be required to replace all such materials at its own expense. This includes all handling charges and transportation, with the material that does so comply.
 - 7.4. **Quality and Quantity Control** - A system of test and inspection must be used to ensure receipt of the quality and quantity of items supplied. Goods will be promptly unpacked and inspected; any discrepancies from purchase order or supplier invoice will be reported immediately to the Chief Procurement Officer of the Department of Procurement.
 - 7.5. **Plant and Facility Inspections** - The Department of Procurement may require the Bidder to make their plant and facilities available for inspection or may require additional information concerning the Bidder's ability to comply with the requirements of this specification, or its ability to perform in accordance with delivery requirements and within budget. In addition to the above, Bidder may be required to produce shop

orders and backlog orders documentation. Failure to comply with this requirement may cause rejection of the bid package.

7.6. Protection - The Bidder must assume all costs arising from the use of patented materials, devices, or processes incorporated in the materials furnished. The Bidder further agrees to indemnify and hold harmless the City of Atlanta and its duly authorized agents from suits of law or actions of any nature for or on account of the use of any patented materials, equipment devices or processes.

7.7. Travel and Lodging Expenses - The City of Atlanta may require one (1) or more onsite visits to the Bidder's site to assure Bidder's compliance with the City's requirements and other applicable requirements. Suppliers must reimburse the City, in accordance with the City of Atlanta's Code of Ethics provisions, for authorized travel and lodging expenses related to such onsite evaluations after the purchase order has been assigned and occur no later than 30 days after receipt of invoice.

8. **Preparation for Delivery**

8.1. Packing - Packing must be accomplished in accordance with acceptable commercial practices for domestic shipments, unless otherwise stated in the Agreement and/or purchase order. The Bidder must make shipments using the minimum number of containers consistent with the requirements of safe transit, available mode of transportation and routing. It is the Bidder's responsibility to determine that packing is adequate to assure that all materials must arrive at destination in an undamaged condition ready for intended use.

8.2. Marking - All packages must be identified with the City of Atlanta purchase order number and the User Department. Sealed packing lists must be affixed to all cartons showing its content.

8.3. Shipping - The Bidder must follow shipping instructions as stated in the purchase order or Agreement.

9. **Subcontracting**. If awarded a contract, the use of subcontractors is permitted. However, Bidder must: (i) remain responsible for the goods, installation, delivery, and any services provided by the subcontractor; (ii) remain City's sole point of contact for the goods and/or services provided under the Agreement; and (iii) be solely responsible for the payment of any subcontractor.

9.1. Bidder must identify all subcontractors it intends to use in its bid. Failure to disclose all subcontractors in a bid submission will result in termination of an Agreement if awarded.

9.2. All subcontractors must complete the subcontractor Illegal Immigration Reform and Enforcement Act (IIREA) Form and the completed subcontractor forms must be included in the Bidder's bid.

10. **Warranty**. It is the Bidder's responsibility to submit, at time of shipment, the original manufacturer's warranty of the goods/material(s) supplied.

SCOPE AND CLASSIFICATION - PART II

REQUIREMENTS

Please state “Compliance” or “Exception” for the requirements listed below. Check marks, dittos, or any other markings may not be accepted, and your bid could be rejected.

Bidder must provide like and similar goods or a direct substitute not listed on pricing lines at _____% discount from catalog prices.

1. GROUP I – Upright Bike – Matrix U5X or approved equal

1.1 **Features** - Contact and Telemetric with Heart Rate (“HR”) handlebar design molded racing design with elbow support Integrated Arm Rests Remote Buttons Ethernet Port with Bottle Holder.

Compliance

Exception

1.2 **Console** – Display Type Dot -Matrix LED with profile display.

Compliance

Exception

1.2.1 Display Relevant Time Metrics..

Compliance

Exception

1.2.2 Distance (Kilometers or Miles).

Compliance

Exception

1.2.3 Calories, Calories Per Hour, Level, Speed, RPM (Revolutions Per Minute), Heart Rate, METs (Metabolic Equivalent of Task), Watt.

Compliance

Exception

1.2.4 Profile User-defined multi-language display.

Compliance

Exception

1.2.5 Must be able to select multiple resistance ranges for very easy to very difficult and provides multiple workout modes, including W Manual, Rolling Hills, Target HR, Interval Training, Constant Watts, Fat Burn, Fitness Test, and Random.

Compliance

Exception

1.2.6 CSAFE Ready-FitLinxx Certified Netpulse Compatible.

Compliance

Exception

1.2.7 Instant-On-Technology with one (1) button Start on-the-fly program change.

Compliance

Exception

1.2.8 FITCONNEXION Ready WiFi.

Compliance

Exception

1.2.9 iPhone/Android Compatible – charging only.

Compliance

Exception

1.2.10 Personal Fan USB Port.

Compliance

Exception

1.2.11 Asset Management Compatible.

Compliance

0

Exception

1.2.12 Pause Function Reading Rack.

Compliance

Exception

1.2.13 Resistance System: Resistance Technology Brushless Generator

Compliance

Exception

1.2.14 Technical Specification:

1.2.14.1 Power Requirements:

1.2.14.1.1 Self-Powered Capable

Compliance

Exception

1.2.14.1.2 Powered with 100v-240v – 50/60Hz AC

Compliance

Exception

1.2.14.2 Max User Weight 400lbs.

Compliance

Exception

1.2.15 Warranty

1.2.19.1 Frame seven (7) years warranty.

Compliance

Exception

1.2.19.2 Generator five (5) years warranty.

Compliance

Exception

1.2.19.3 Parts & Labor three (3) years CAP warrant.

Compliance

Exception

1.2.19.4 Wear Items (iPod Cable, USB Port, Headphone Jack, and Battery) 90-days parts on warranty.

Compliance

Exception

2. GROUP II – Matrix Aura Functional Trainer 400 stack or approved equal

2.1 Pulley – Ratio -1:4 to allow for low starting resistance and high-speed movements.

Compliance

Exception

2.2 Swiveling Accessory Station

Compliance

Exception

2.3 Integrated Fold Away Step

Compliance

Exception

2.4 Integrated instruction placards.

Compliance

Exception

2.5 Multi-Grip Position Pull-Up Handles with rock climbing attachment.

Compliance

Exception

2.6 Weight Stack – 390lbs each rack

Compliance

Exception

2.6.1 Self-lubricating bushings

Compliance

Exception

2.6.2 Guards and Pulley (1:4 ratios)

Compliance

Exception

2.6.3 Magnetic and tethered weight pins

Compliance

Exception

2.7 Ten (10) Attachments – Must come with Curl Bar, Straight Bar, Press-Down Bar, Triceps Rope, Handles two (2) Heel Cup, Multi-Purpose Bar, Golf Handle, and Bat Handle.

Compliance

Exception

2.11 Warranty

2.11.1 Frame (not coating) ten (10) years warranty

Compliance

Exception

2.11.2 Structural parts ten (10) years warranty

Compliance

Exception

2.11.3 Weight Stacks, Pulleys, and Pivotal Bearings five (5) years warranty

Compliance

Exception

2.11.4 Upholstery, Cables, Springs, and Grips one (1) year warranty

Compliance

Exception

2.11.5 Accessories six (6) months warranty

Compliance

Exception

2.11.6 Items Not Specified three (3) year warranty

Compliance

Exception

2.11.7 Labor three (3) year warranty

Compliance

Exception

3. Group III – Ascent Trainer – Matrix A5x or approved equal

3.1 Features - Stride Length 51-61 cm/20-24”, Incline Range 4% - 54% (15° range), Step-on Height 24cm/9.5”, Ergo Form Grips with integrated incline and resistance controls, Integrated Personal Fan with at least 3-speed fan, Contact & Telemetric HR, Footpad Insert Type – premium, pedal Spacing 6.4cm/2.5”, Handlebar Type Multi- position dual action/premium erg-bend stationary, Remote Access Buttons, and Ethernet Port.

Compliance

Exception

3.2 Console Display – Dot-matrix LED with profile display, and display the relevant metrics: Speed, Level, RPM, Incline, Heart Rate, Time Elapsed, Time Remaining, Time of Day, Total program Time, Distance (Miles), Distance (Kilometers), Calories, Watts, METs, Multi-Language Display, Resistance Range, Workouts Manual, Rolling Hills, Target HR, Interval Training, Constant Watts, Fat Burn, Fitness Test, Sprint 8, CSAFE Ready-Fit-Linx Certified, Fit-Touch Technology, Instant on Technology, One-button Start, On-the-fly Program Change.

Compliance

Exception

3.3 Fit Connection Ready – iPhone/Android Compatible, Charging compatible, Personal Fan USB Port Virtual Active Compatible, Asset Management Compatible, and Pause Function.

Compliance

Exception

3.4 Resistance System – Resistance System Brushless generator.

Compliance

Exception

3.5 Technical Specifications:

3.5.1 Power Requirements – Self-powered/powered 100v -240v-30/60Hz AC

Compliance

Exception

3.5.3 Max User Weight 400lbs

Compliance

Exception

3.6 Warranty

3.6.1 Frame seven (7) year warranty

Compliance

Exception

3.6.2 Generator five (5) year warranty

Compliance

Exception

3.6.3 Parts & Labor three (3) year warranty

Compliance

Exception

3.6.4 Wear Items (iPod Cable, USB Port Headphone Jack, Battery) 90-day warranty

Compliance

Exception

4. Group IV - Treadmill

4.1 Specifications

4.1.1 Deck Type - Ultimate hard-wax reversible 1" deck.

Compliance

Exception

4.1.2 Belt Type – Habasit two (2) ply commercial grade

Compliance

Exception

4.1.3 Running surfaces at least 60" x 22"

Compliance	Exception
------------	-----------

4.1.4 Step up height must not exceed 9.5”.

Compliance	Exception
------------	-----------

4.1.5 Ultimate deck cushioning system.

Compliance	Exception
------------	-----------

4.1.6 At least 0.15% incline range (thrust elevation motor)

Compliance	Exception
------------	-----------

4.1.7 At least 0.8 -24.1 km/h/ 0.5 – 15mph

Compliance	Exception
------------	-----------

4.1.8 Contact & Telemetric Heart Rate

Compliance	Exception
------------	-----------

4.1.9 Crossbar Control – G, Stop, Cool Down, Speed, and Incline Control

Compliance	Exception
------------	-----------

4.1.10 Display Type – Dot-Matrix LED

Compliance	Exception
------------	-----------

4.1.11 Display Feedback – Speed, Incline Heart Rate, Time Elapsed, Time Remaining, Total Program Time, Pace, Average Pace, Distance (Miles), Distance (Kilometers), Calories, Watts, METs, and Workout Profile.

Compliance	Exception
------------	-----------

4.1.12 User-Defined Multi-Language Display

_____	_____
Compliance	Exception

4.1.13 Workouts – Manual. Rolling Hills, Fat Burn, Sprint8, 5K, Target HR, Gerkin Protocol, Army PFT, Navy PRT, Marine PFT, Air Force PRT, Physical Efficiency Battery (PEB), and WFI Protocol.

_____	_____
Compliance	Exception

4.1.14 CASAFE Ready-FitLinxx Certified.

_____	_____
Compliance	Exception

4.1.15 One (1) Button Start

_____	_____
Compliance	Exception

4.1.16 On-the-fly Program Change

_____	_____
Compliance	Exception

4.1.17 FITCONNEXION Ready

_____	_____
Compliance	Exception

4.1.18 Wi-Fi Enabled (optional)

_____	_____
Compliance	Exception

4.1.19 iPhone/Android Compatible charging.

_____	_____
Compliance	Exception

4.1.20 Personal Fan – Three (3) speeds minimum

_____	_____
Compliance	Exception

4.1.21 USB Port

Compliance

Exception

4.1.22 Asset Management Compatible

Compliance

Exception

4.1.23 Pause Function

Compliance

Exception

4.1.24 Power Requirement 20-amp dedicated circuit required, non-looped grounded

Compliance

Exception

4.1.25 Electrical Receptacle & Plug NEMA 5-20R 120v.

Compliance

Exception

4.1.26 User weight capacity at least 400lbs

Compliance

Exception

4.2 Warranty

4.2.1 Frame minimum ten (10) year warranty

Compliance

Exception

4.2.2 Drive Motor-Lifetime, Motor/Motor Control Board parts & labor minimum three (3) year warranty

Compliance

Exception

4.2.3 Other Parts – parts & labor minimum three (3) year warranty

Compliance

Exception

4.2.4 Touch Screen Console minimum three (3) year warranty

Compliance

Exception

5. Group V – AirdyneX Fan Bike or approved equal

5.1 Mechanical Features –Performance fan, Single-stage belt drive, Weighted inertia ring, Air diverter, Reinforced steel cranks and commercial grade structural steel frames with durable powder-coated paint, 350lbs maximum user weight, Commercial grade stabilizers with attached transport wheels, multi-grip steel handlebars, multi-position seat with pop pin knobs, Replaceable seat and pedals capability, and Water bottle holder.

Compliance

Exception

5.2 Electronic Features – LCD Tachometer Display, Resistance progressive with wind levels, Quick Start and Quick program keys capable, Polar wireless heart rate compatible, Auto calibration, multiple workout programs,20/10 interval, 30/90 interval, custom interval, Time Target, Calories Target, Kilojoules Target, Miles Target, and Kilometers Target).

Compliance

Exception

5.3 Warranty – Frame ten (10) years, Parts three (3) years, and Labor six (6) months warranty.

Compliance

Exception

6. Group VI – Matrix Magnetic Rower or approved equal

6.1 Mechanical Features – Brushed aluminum flywheel, multiple magnetic resistance settings, Commercial grade frame with durable powder-coated paint, Coil Spring Poly-V belt drive system, 350lbs maximum user weight, Aluminum monorail paired with stainless steel strips, Ergonomic handle for large and small users, High-quality pull cord, seat lock, heel cups with quick release buckles/straps and folding storage capability.

Compliance

Exception

Compliance
6.2 Electronic Features Exception

6.2.1 LCD adjustable display

Compliance Exception

6.2.2 Display readout – Time, Distance, Strokes per minute (SPM), Stroke, Watts, Heart Rate, Calories, and 500 meter/split.

Compliance Exception

6.3 Warranty – Parts three (3) years, Labor three (3) years, Wear items (rope, seat, foot support) two (2) years, and frame seven (7) years.

Compliance Exception

7. Group VII – Matrix C5x Climb Mill or approved equal

7.1 Mechanical

7.1.1 Revolving staircase platform with steps that are 8” (20.31cm) high and 10” (25.4cm) deep.

Compliance Exception

7.1.2 Delineated steps with safety sensor for auto-stop step rotation when triggered by an object or person.

Compliance Exception

7.1.3 Electronically Controlled Brakes (ECB) modular drive system and flywheel.

Compliance Exception

7.1.4 400lbs maximum user weight.

Compliance Exception

7.1.5 Ergonomic foam handrails with integrated controls to access key functions.

Compliance

Exception

7.1.6 Step-up plate for user mounting.

Compliance

Exception

7.1.7 Rear locking and leveling castors.

Compliance

Exception

7.1.8 Contact Sensor and Polar Telemetry for monitoring heart.

Compliance

Exception

7.1.9 120V/60Hz input voltage, 15amps circuit.

Compliance

Exception

7.1.10 Water bottle and cup holder.

Compliance

Exception

7.2 Electronic

7.2.1 Large dot-matrix LED console display with integrated three (3) speed personal fan.

Compliance

Exception

7.2.2 Display feedback - Time Elapse, Time Remaining, Time of Day, Total Program Time, Total Steps, Floors Climbed, Calories, MET's Watts, Level, Heart Rate, SPM, Average SPM, and Workout Profile.

Compliance

Exception

7.2.3 Multi-language user-defined display.

Compliance

Exception

7.2.4 Range of resistance settings from very easy to very difficult.

Compliance

Exception

7.2.5 Programmed workouts – Manual, Rolling Hills, Interval Training, Calorie Training, Goal Training, Fat Burn, Target Heart Rate, Fitness Test (Sub-Maximal, WFI Test, Candidate Physical Ability Test (CPAT), and Constant Watts.

Compliance

Exception

7.2.6 CSAFE Ready-Fit Linxx Certified.

Compliance

Exception

7.2.7 Net pulse compatible.

Compliance

Exception

7.2.8 FITCONNECTION ready and Wi-fi capable.

Compliance

Exception

7.2.9 USB port and iPhone/Android charging compatible.

Compliance

Exception

7.2.10 Once (1) button start, On-the-fly program change and pause function.

Compliance

Exception

7.2.11 Warranty - Frame seven (7) year warranty, Parts five (5) year warranty Labor three (3) year warranty, and Wear Items (Headphone Jack, USB Port, iPod Connector 90-day warranty.

Compliance

Exception

8. Group VIII – Medicine Balls

8.1 Must be durable rubber construction suitable for bouncing.

Compliance

Exception

8.2 Must have a textured surface for optimal grip and handling.

Compliance

Exception

8.3 Weight – 10lbs, 15lbs, 20lbs, and 25lbs.

Compliance

Exception

8.4 Must have highly visible markings the show weight (pounds) of each ball.

Compliance

Exception

8.5 Warranty – One (1) year warranty.

Compliance

Exception

9. Group IX – Kettlebells

9.1 Must be one (1) piece solid cast iron construction.

Compliance

Exception

9.2 Must have a rust resistant and protective rubber coat finish.

Compliance

Exception

9.3 Weight – 5-50lbs sets in 5lbs increments.

Compliance

Exception

9.4 Must have highly visible markings the reflect the weight (pounds).

Compliance

Exception

9.5 Warranty – One (1) year warranty.

Compliance

Exception

10. Group X – Dumbbells

10.1 Must have a cast iron head hex design with rubber encased coating.

Compliance

Exception

10.2 Must have a full knurl-medium depth chrome plated handle.

Compliance

Exception

10.3 Weight – 5-50lbs set in 5lbs increments.

Compliance

Exception

10.4 Must have highly visible markings that reflect the weight (pounds).

Compliance

Exception

10.5 Warranty – One (1) year warranty.

Compliance

Exception

11. Group XI – Universal Storage Rack

11.1 Must have a commercial steel frame and shelves with rust resistant powder cost finish.

Compliance

Exception

11.2 Must be designed to hold medicine balls, wall balls, kettlebells, or hex head dumbbells.

Compliance

Exception

11.3 Must have three (3) tiered racks, capable of adjusting the heights and angle as needed to accept hex dumbbells.

Compliance

Exception

11.4 Must have four (4) caster wheels and rubber feet option.

Compliance

Exception

11.5 Footprint – must be 76” – 78” long x 23” – 24” deep.

Compliance

Exception

11.6 Warranty – Frame (10) years, and Parts one (1) year.

Compliance

Exception

12. Group XII – Foam Rollers

12.1 Must be constructed of high-density foam.

Compliance

Exception

12.2 Standard firmness (1.5lbs per cubic foot).

Compliance

Exception

12.3 Diameter – 6 inches.

Compliance

Exception

12.4 Length – 36 inches.

Compliance

Exception

12.5 Colors – Black or Gray.

Compliance

Exception

12.6 Warranty – One (1) year warranty.

Compliance

Exception

13. Group XIII – Exercise Mats -Individual

13.1 Must be constructed of high-performance foam the must be moisture and odor resistance.

Compliance

Exception

13.2 Must have 5/8-inch thickness.

Compliance

Exception

13.3 Dimension – 24 inches x 72 inches.

Compliance

Exception

13.4 Must be Rollable for storage.

Compliance

Exception

13.5 Colors – Black or Gray.

Compliance

Exception

13.6 Warranty – One (1) year warranty.

Compliance

Exception

14. Group XIV – Stability Ball

14.1 Must be 55cm heavy-duty, with a slow-deflate quality, and support up to 350lbs.

Compliance

Exception

14.2 Pump must be included for inflation.

Compliance

Exception

14.3 Tape measure must be included for correct size inflation.

Compliance

Exception

15. Group XV – Adjustable Bench

15.1 Must be 11-gauge steel frame constructed.

Compliance

Exception

15.2 Must have a rust resistant powder coat finish.

Compliance

Exception

15.3 Must position flat up to 85 degrees with at least five (5) adjustment positions.

Compliance

Exception

15.4 Must have a hook and ladder seat back adjustment.

Compliance

Exception

15.5 Must have a molded seat pad with 2” minimal thickness and commercial grade upholstery.

Compliance

Exception

15.6 Must have a front handle placement and rear wheels for mobility.

Compliance

Exception

15.7 Must have a non-skid footpad.

Compliance

Exception

15.8 Warranty – Frame ten (10) year and Parts one (1) year.

Compliance

Exception

16. Group XVI – Fitness Equipment Installation & Setup

16.1 Install and setup equipment at the various Atlanta Fire Rescue locations. Installation is defined as placing equipment in the layout designed for the fitness center, balancing all equipment and making sure that all pieces work properly. The equipment must be ready for customer use.

Compliance

Exception

17. Group XVII – Preventative Maintenance

17.1 General Maintenance – Perform a safety inspection on weldments, seat supports, chains, pulley’s, cables, check for missing or worm hardware, upholstery is inspected for wear and tear, rips, cuts, and etc.

Compliance

Exception

17.2 Lubrication – Lubrication of all chains, sprockets, rollers, guide rods, seat adjustments, threaded rods, pivot points, and mounting bolts for tightness, etc.

Compliance

Exception

17.3 Electrical Components – The technician must inspect all line cords, power supplies, batteries, and devices for functionality. The technician must also inspect all electrical connections wires. As well as test electronics and calibrate when necessary.

Compliance

Exception

17.4 Cleaning - The technician must clean the inside of equipment including the motor components.

Compliance

Exception

17.5 Performance Test – After the Preventive Maintenance has been completed the technician must run a performance test to ensure that all functions are working properly.

Compliance

Exception

18. Group XVIII – Repair, Service, and Parts (Onsite)

18.1 Includes labor, 24-hour service response time, and discount on parts for all pieces of fitness equipment in the facility.

Compliance

Exception

18.1.1 Vendor must state _____% discount offered on parts from manufacturer’s catalog.

Compliance

Exception

18.2 Vendor must be certified by the manufacture(s) to do work on all pieces of fitness equipment in the facility.

Compliance

Exception

18.3 Vendor must offer Field Service Repairs and In-house diagnostics by a Certified Technician.

Compliance

Exception

18.4 For repairs not covered under warranty, a quote must be submitted to the end-user agency and a purchase order must be issued to the vendor from the end-user agency prior to the equipment being repaired.

Compliance

Exception

18.5 Warranty - Frame seven (7) years, Generator five (5) years, Parts & Labor three (3) years, Wear Items (iPod® Cable, USB Port Headphone Jack, Battery) 90-days warranty on parts.

Compliance

Exception

ACKNOWLEDGEMENT

Bidder, by and through its authorized representative, acknowledges that it has read and understands this Invitation for Bid (“IFB”) and has submitted all required documents and information in response to this IFB. Bidder further acknowledges and agrees that if it is awarded a contract, pursuant to this IFB, Bidder will be bound by terms and conditions of the Contract Documents which are, collectively, this IFB, Bidder’s submitted bid documents, any resulting purchase order(s) and the City’s terms and conditions as provided under an applicable purchase order(s), and the Agreement.

[Bidder]:

Legal Name of Firm

Address

City

State

Zip Code

Authorized Representative/Print

Signature/Title/Date

Area Code/Telephone Number /Email

COA Supplier ID Number