

PRECISION PLANNING, INC.
P.O. Box 2210
Lawrenceville, GA 30046-2210
(770) 338-8000 or (770) 962-8000
(Fax) (770) 822-5990
planners, engineers, architects & surveyors



PRECISION PLANNING, INC.
P.O. Box 2210
Lawrenceville, GA 30046-2210
(770) 338-8000 or (770) 962-8000
(Fax) (770) 822-5990
planners, engineers, architects & surveyors

JACKSON COUNTY, GEORGIA

JACKSON COUNTY JAIL

SHEET TITLE
ROOF FRAMING
AREA "D"

DESIGN
GMM

BRAM
BDB/AP

CHECKED
GMM

RELEASE
DATE
NO DESCRIPTION

02/13/08
MASONRY/F.P./KITCHEN BID PACKAGE RELEASE

01/16/08
RFI # 024R STRUCTURAL DIMENSION CLARIFICATIONS


09/27/07
ADDENDUM 1 STRUCTURAL BID PACKAGE

09/12/07
100% STRUCTURAL BID PACKAGE CD's

FILE NUMBER
CAD FILE NAME
PROJ. NUMBER
DATE

02-13-08
A06136
024R
02-13-08

STAMP
PRECISION PLANNING, INC.
P.O. Box 2210
Lawrenceville, GA 30046-2210
(770) 338-8000 or (770) 962-8000
(Fax) (770) 822-5990
planners, engineers, architects & surveyors



SEE FOR NOTES:
SECTION 05100
CONCRETE
SECTION 05200
STEEL DECK
SECTION 05300
ROOFING
SECTION 05400
CLADDING
SECTION 05500
MECHANICAL
SECTION 05600
ELECTRICAL
SECTION 05700
PLUMBING
SECTION 05800
HVAC
SECTION 05900
FIRE PROTECTION
SECTION 06000
FURNITURE
SECTION 06100
FIXTURES
SECTION 06200
EQUIPMENT
SECTION 06300
MATERIALS
SECTION 06400
LABOR
SECTION 06500
SUBMITTALS
SECTION 06600
CONSTRUCTION
SECTION 06700
GENERAL NOTES

- 28" DEEP PRECAST DOUBLE TEES, DESIGN BY PRECAST SPECIALTY ENGINEER.
- 8" DEEP PRECAST CONCRETE SLABS, DESIGN BY PRECAST SPECIALTY ENGINEER.
- OUT PORTS OF DOUBLE-TEE FLANGE TO ALLOW DAYLIGHT PASSAGE IN THIS AREA. SEE ARCHITECTURAL FOR DIMENSIONS.
- GALVANIZED
- PROVIDE 6" DIAMETER x 45" DEEP POCKET IN TOP OF WALL TO EMBED AND GROUT FENCE POST
- PRECAST CONCRETE BEAM, DESIGN BY PRECAST SPECIALTY ENGINEER.
- PRECAST CONCRETE PARAPET SUPPORTED BY DOUBLE-TEE, SEE ARCHITECTURAL DRAWINGS.
- SKY LIGHT OR OTHER OPENING, LOCATE BETWEEN DOUBLE-TEE STEMS. SEE ARCHITECTURAL FOR DIMENSIONS.

PLAN NOTES:

- REFER TO ADDENDUM FORM FOR ROOF TOP MECHANICAL UNIT INFORMATION NOT SHOWN.
- SEE ARCHITECTURAL DRAWINGS FOR TOP OF PARAPET ELEVATIONS.

TYPICAL SECTION-- NON-LOAD BEARING CMU ATTACHMENT TO ROOF FRAMING
SCALE: 3/4" = 1'-0"

SECTION 3
SCALE: 3/4" = 1'-0"

ROOF FRAMING PLAN AREA "D"
SCALE: 1/8" = 1'-0"