

FILE NUMBER
136A3-1dmg

CAD FILE NAME
136A3-1dmg

PROJ. NUMBER
136A3-1dmg

DATE
03-28-08

DATE NO DESCRIPTION
03-28-08

DATE NO DESCRIPTION
03-28-08

DATE NO DESCRIPTION
03-28-08

DATE NO DESCRIPTION
03-28-08

DATE NO DESCRIPTION
03-28-08

DATE NO DESCRIPTION
03-28-08

DATE NO DESCRIPTION
03-28-08

DATE NO DESCRIPTION
03-28-08

DESIGN
LBD

CAC
LBD

CHECKED
LBD

PROJECT

JACKSON COUNTY JAIL

555 GENERAL JACKSON DRIVE

JEFFERSON, GEORGIA 30549

SHEET TITLE

MAIN JAIL

BUILDING

ROOF PLAN

RELEASE

NO. 008

REVISIONS TO DOWNSPOUTS

NO. 009

REVISIONS TO DOWNSPOUTS

NO. 010

REVISIONS TO DOWNSPOUTS

STAMP

REGISTERED ARCHITECT

LANE G. DAVIS

STATE OF GEORGIA

PRECISION PLANNING, INC.

PLANNERS, ENGINEERS, ARCHITECTS & SURVEYORS

400 Pike Boulevard

Lawrenceville, GA 30046-2210

(770) 338-8000 or (770) 962-8000

(Fax) (770) 822-5990

PROJECT

JACKSON COUNTY JAIL

555 GENERAL JACKSON DRIVE

JEFFERSON, GEORGIA 30549

SHEET TITLE

MAIN JAIL

BUILDING

ROOF PLAN

Roof Plan Notes

1. NOT ALL ROOF PENETRATIONS ARE INDICATED ON ROOF PLAN COORDINATE WITH ALL TRADES FOR NUMBER AND LOCATIONS OF ROOF PENETRATIONS.
2. PROVIDE TAPERED INSULATION ROOF CRICKETS AT ALL EQUIPMENT AND SKYLIGHT LOCATIONS.
3. 6" x 6" DASH 1" MIN 2" RIGID INSULATION
4. EXTEND ALL CONDENSATE LINES FROM RTUS TO NEAREST SCIFFER USE
5. ROOF PLAN DETAILS INTENT OF ROOF SLOPES.
6. ROOF PLAN DETAILS INTENT OF ROOF SLOPES.
7. ALL ROOF PENETRATIONS SHALL BE WATER TIGHT AND SHALL NOT VOID ROOF WARRANTY.
8. ALL ROOF DETAILS SHALL BE APPROVED BY THE ROOF SYSTEM MANUFACTURER FOR SPECIFIED WARRANTY COVERAGE.
9. ANY NON-STANDARD DETAILS MUST BE APPROVED IN WRITING BY ROOF SYSTEM MANUFACTURER PRIOR TO INSTALLATION.
10. REFER TO SHEET A34 FOR ROOFING SYSTEM TYPICAL DETAILS.
11. ALL OVERLAP SCIFFERS SHALL BE LOCATED 4" HIGHER THAN ADJACENT PRIMARY SCIFFER.

Job North

SCALE 1/8" = 1'-0"

A3.1

Main Jail Building Roof Plan

1:\D\K\WKS\06106136\1540 Construction Documents\136A3-1dmg_4/30/2009 8:04:04 AM_75286