

Attachment 6

** Please Note: This is a portion of the the Data Elements Dictionary (DED) specific to TPL. The full DED will be provided after contract award.

NJMMIS Data Element Dictionary

Mainframe Name: TPL ACTION CODE

ID No: 033126

DEFINITION: Identifies the type of update to recipient TPL record

ALTERNATE/COBOL NAMES: TPL-ACTION-CDE

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: X(01)

EDIT RULES: Required, Valid Values

STORAGE TYPE: C

DEFAULT:

SOURCE: OIT CN, OIT MN

SATISFIES HCFA REQUIREMENT(S): 302 TRANSACTION CODE

DESCRIPTION:

Identifies the type of record update.

VALUES:

A	Add
C	Change
D	Delete
Blank	No Change

DATE ADDED: 5/6/1990 **DATE MODIFIED:** 5/28/1991 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL ADJUSTMENT PROCESSED

ID No: 090441

DEFINITION: Indicates that TPL recovery adjustment has been processed

ALTERNATE/COBOL NAMES: TPLTR:ADJUSTMENT-PROCESSED

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X(01)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: System Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

On TPL Adjustment File. This is a flag to indicate that a TPL recovery payment has been posted against a claim on the TPL Tracking File and the record can be deleted from the TPL Tracking File.

VALUES:

Y	TPL recovery payment has been posted.
Space	TPL recovery payment not posted.

DATE ADDED: 4/20/1999 **DATE MODIFIED:** 4/20/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL AMOUNT RECOVERED

ID No: 090202

DEFINITION: Dollars recovered due to TPL billing

ALTERNATE/COBOL NAMES: TPLMEDTU-AMT-RECOVERED

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: S9(06)V99

EDIT RULES: Numeric

STORAGE TYPE: P

DEFAULT: 0.00

SOURCE: Tracking Update Tape

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Amount returned by an insurer to DMAHS, due to TPL retroactive billing.

DATE ADDED: 1/18/1990 **DATE MODIFIED:** 4/6/1992 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL BATCH FINALIZED IND

ID No: 090438

DEFINITION: Indicates if TPL recovery batch has been finalized

ALTERNATE/COBOL NAMES: TPLPAYMT-FINALIZED-YN

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X(01)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: System-Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Finalized batch flag value (Y or N). TPL recovery adjustments will only be generated for finalized batches.

VALUES:

N	Batch Not Finalized
Y	Batch Finalized

DATE ADDED: 2/10/1999 **DATE MODIFIED:** 2/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL BATCH NUMBER

ID No: 090430

DEFINITION: Identifies a group of TPL recovery payments

ALTERNATE/COBOL NAMES: TPL-PAYMT-BATCH-NBR
TPLPAYBL-BATCH-NBR

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: 9(11)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: State TPL Unit

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Number assigned by the TPL Unit to a batch of TPL payments. A batch can represent the contents of a lock box for bank deposit and may cover many insurers, claims and individuals. It may also be based on a breakdown by specific insurers, recipients or other criteria.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL BATCH POSTED AMOUNT

ID No: 090437

DEFINITION: Total dollar amount posted against a TPL recovery batch

ALTERNATE/COBOL NAMES: TPLPAYMT-BATCH-POSTED

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: S9(11)V99

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: System-Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

When subtracted from the batch total, used to calculate the balance due on the batch.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL BATCH TOTAL

ID No: 090436

DEFINITION: Total dollar amount of a TPL recovery batch

ALTERNATE/COBOL NAMES: TPLPAYMT-BATCH-TOTAL

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: S9(11)V99

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: State TPL Unit

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Entered with the batch number when a batch is first created on-line. This total serves as a batch control mechanism. The system verifies that all the posted amounts in a batch balance against this total before a batch is finalized.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL BILLABLE CODE

ID No: 090156

DEFINITION: Billable indicator on Employer File for State use only

ALTERNATE/COBOL NAMES: EMPLOYER-BILLABLE-CODE

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X

EDIT RULES:

STORAGE TYPE: C

DEFAULT: N

SOURCE: State TPL Unit

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

VALUES:

N	No
Y	Yes

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL CASE NUMBER

ID No: 030061

DEFINITION: Recipient identification number for the assistance household

ALTERNATE/COBOL NAMES: HSP#
RECIPIENT CASE NUMBER
TPL-CASE-NUMB

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: 9(10)

EDIT RULES: Must Be Present And Numeric

STORAGE TYPE: C

DEFAULT:

SOURCE: All CN/MN Files

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

The TPL Case Number is the 10 leading digits of the TPL Current Recipient ID Number. It does not include the individual or person number. It is made up of three parts which are:

County Code or Institutional Services Code

Aid Category / Program Code

Family Case Number

Editing for proper County Code and Aid Category/Program Code is performed on the TPL Case Number. The Family Case Number is a unique number assigned to the recipient by the county or institutional case worker.

NJMMIS Data Element Dictionary

Mainframe Name: TPL COMMENTS

ID No: 090171

DEFINITION: Free form comments

ALTERNATE/COBOL NAMES: TPL-COMMENTS-1 (-2, -3)

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(60)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: Update Form/AP-95 Tape

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

VALUES:

ASSOCIATED DSS ELEMENTS:

Table	Column	MSTR Attrib	MSTR Loc
tpl_carrier_dim	COMMENT1_DE SC	Carrier Comment 1	Attributes\TPL\TPL Carrier
tpl_carrier_dim	COMMENT2_DE SC	Carrier Comment 2	Attributes\TPL\TPL Carrier
tpl_carrier_dim	COMMENT3_DE SC	Carrier Comment 3	Attributes\TPL\TPL Carrier
tpl_employer_dim	COMMENT1_DE SC	Employer Comment 1	Attributes\TPL\TPL Employer
tpl_employer_dim	COMMENT2_DE SC	Employer Comment 2	Attributes\TPL\TPL Employer
tpl_employer_dim	COMMENT3_DE SC	Employer Comment 3	Attributes\TPL\TPL Employer

DATE ADDED: 3/26/1990 **DATE MODIFIED:** 4/6/1992 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL COVERAGE BEGIN DATE

ID No: 035001

DEFINITION: Start date for TPL insurance coverage

ALTERNATE/COBOL NAMES: R35:35001-TPL-COVAGE-BEG-DTE

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: 9(08)

EDIT RULES: Required, Valid Numerical Date **STORAGE TYPE:** C

DEFAULT:

SOURCE: CN/MN Files; Resource
Update Form

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

The date from the OIT CN and/or OIT MN input transaction reflecting the start date for either Medicare, HMO and/or TPL private insurance policy coverage.

Input Format YYYYMMDD

Output Format S9(06) (YYMMDD)

DATE ADDED: 2/11/1990 **DATE MODIFIED:** 6/7/1991 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL COVERAGE COUNTER

ID No: 035000

DEFINITION: Reflects number of TPL data occurrences

ALTERNATE/COBOL NAMES: R35:3500-TPL-COVAGE-CNT

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: 9(02)

EDIT RULES: N/A

STORAGE TYPE: C

DEFAULT:

SOURCE: System-Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Counter reflects the number of unique TPL data-related occurrences being passed to the TPL subsystem. Value may be 01 through 10.

DATE ADDED: 2/11/1990 **DATE MODIFIED:** 10/27/1990 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL COVERAGE END DATE

ID No: 035002

DEFINITION: End date for the TPL coverage type

ALTERNATE/COBOL NAMES: R35:35002-TPL-COVAGE-END-DTE

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: 9(08)

EDIT RULES: Required, Valid Numerical Date **STORAGE TYPE:** C

DEFAULT:

SOURCE: All CN/MN Files; Update
Forms

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Reflects the TPL policy, HMO, or Medicare end date associated with the type of coverage as passed from the OIT CN and/or OIT MN files.

Input Format YYYYMMDD

Output Format S9(06) (YYMMDD)

Default Value 999999

DATE ADDED: 2/11/1990 **DATE MODIFIED:** 10/27/1992 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL COVERAGE TYPE

ID No: 090038

DEFINITION: Indicates services covered under an insurance policy

ALTERNATE/COBOL NAMES: POLICY-SCOPE-COVERAGE-1
SUP-MAILER-IND

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(2)

EDIT RULES: Valid Values: Listed Below

STORAGE TYPE: C

DEFAULT:

SOURCE: Resource File Update
Form/Tapes

SATISFIES HCFA REQUIREMENT(S): 124 SCOPE OF COVERAGE CODE

DESCRIPTION:

Reflects the type of insurance coverage provided by the policy.

VALUES:

01	Inpatient Hospital
02	Medical/Surgery
03	Major Medical
04	Medicare Supplemental
05	Prescription
06	Dental
07	Optical
08	Hospital and Medical/Surgical
09	Long Term Care
10	HMO or P.O.S. Plans with Rx
11	HMO or P.O.S. Plans no Rx
12	Outpatient Hospital
13	Hospital Medical/Surgical and Major Medical
14	Hospital Medical/Surgical, Major Medical and Rx

NJMMIS Data Element Dictionary

Mainframe Name: TPL COVERAGE TYPE

ID No: 090038

15	Hospital Medical/Surgical, Major Medical, Rx and Dental
16	Hospital Medical/Surgical, Major Medical, Rx, Dental and Optical
17	HMO or P.O.S. Plans Rx and Dental
18	HMO or P.O.S. Plans Rx, Dental and Optical
21	Capitated/Non-HMO (PPO/EPO) Plan w/Rx
22	Capitated/Non-HMO (PPO/EPO) Plan w/o Rx
23	Capitated/Non-HMO (PPO/EPO) Plan w/Rx and Dental
24	Capitated/Non-HMO (PPO/EPO) Plan w/Rx, Dental and Optical
25	Medicare Supplement w/Rx
26	Mental Health

DATE ADDED: 12/1/1989 **DATE MODIFIED:** 1/28/2015 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL DATE ADDED

ID No: 090439

DEFINITION: Date record was added to the TPL tracking file

ALTERNATE/COBOL NAMES: TPLTR-DATE-ADDED

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(08)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: System Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

System date for when this TPL Tracking record was added to the TPL system.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL DATE FINALIZED

ID No: 090433

DEFINITION: Date a TPL recovery batch was finalized

ALTERNATE/COBOL NAMES: TPLPAYMT-DATE-FINALIZED

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(08)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: System-Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Date that a batch of recovery payments was finalized for the TPL system.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL DATE POSTED

ID No: 090435

DEFINITION: Date a TPL recovery payment was posted

ALTERNATE/COBOL NAMES: TPLPAYMT-DATE-POSTED

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(08)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: System-Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Date that a TPL recovery payment was posted to the TPL system.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL DEACTIVATION INDICATOR

ID No: 030062

DEFINITION: Indicates recipient record deleted from State files

ALTERNATE/COBOL NAMES: BASE-DEACTIVATION-IND
BASE_DEACT_IND
L12-BASE-DEACT-IND
TPL-DEACT-IND

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: X(01)

EDIT RULES: N/A

STORAGE TYPE: C

DEFAULT: Space

SOURCE: System-Generated\DB2 Table
LTC_RECIP_ASSESS

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Indicator is used to denote that the data on the associated record has been deleted off the State's files, effective with the record's change date. The data will remain on the Recipient History Master File with the Deactivation Indicator set to serve as an audit trail.

Edit and Update Indicator: During CN/MN Edit and Update posting, the Deact Ind will carry the associated segment's action code as supplied by the State or modified by the edit process.

VALUES:

BLANK	Data is active
V	Data is deactivated/voided

NJMMIS Data Element Dictionary

Mainframe Name: TPL EDIT IND

ID No: 030064

DEFINITION: Identifies clean or incomplete record from edit to update

ALTERNATE/COBOL NAMES: TPL-EDIT-IND

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: X(01)

EDIT RULES: Must Be Space or Equal To Z

STORAGE TYPE: C

DEFAULT: Space

SOURCE: System Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Field is used internally to identify an input record as having passed all basic edits. If a field within the input transaction record is invalid, the Edit Ind for that occurrence in which the erroneous field resides will be set to Z, indicating that the segment is incomplete or did not pass all expected edits; otherwise, it is left blank. The update process will interrogate the Edit Ind field when updating the master record to determine whether or not the record should be made available to the other subsystems. If the record/occurrence coming from the edit program is incomplete, it is flagged as such in the Deactivation Ind field for that record/occurrence with the corresponding value of Z.

DATE ADDED: 5/31/1991 **DATE MODIFIED:** 5/31/1991 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL EMPLOYER ORIG SSN

ID No: 090431

DEFINITION: Original Recipient SSN on the TPL Employer Update record

ALTERNATE/COBOL NAMES: TPLEMPUP-SSN

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: 9(09)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: State TPL Unit

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Original Recipient Social Security Number entered through the TPL System and stored on the TPL Employer Update record. OIT uses this field to identify a recipient. Sent to OIT in the Employer Change File.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL FLAG

ID No: 029753

DEFINITION: Request reprint of TPL denial notices

ALTERNATE/COBOL NAMES: TPL-FLAG

SYSTEM: MMIS/ECPS

DSS Ind: No

PRIMARY SUBSYSTEM: CLAIMS

FORMAT: X(01)

EDIT RULES:

STORAGE TYPE: C

DEFAULT: See Below

SOURCE: User

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

If CCF Flag = Y and TPL Flag is Left Blank, will Default to Y.

VALUES:

Y	Yes, Reprint Remittance and TPL Denial Notices
N	No, Do Not Reprint TPL Denial Notices (Default)

DATE ADDED: 3/15/1993 **DATE MODIFIED:** 5/25/1993 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL IND

ID No: 050303

DEFINITION: Indicates if Preventive codes or Prenatal codes are used for Edit 970 and TPL pay and chase

ALTERNATE/COBOL NAMES: DIAG-TPL-IND

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: REFERENCE

FORMAT: X(1)

EDIT RULES: Valid Values - Space, P, N

STORAGE TYPE: C

DEFAULT: Space

SOURCE: State Provided

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

1 character field shows if preventive or prenatal codes are used for Edit 970 and TPL pay and chase.

VALUES:

N	Prenatal code
P	Preventive
Space	Absence of value

DATE ADDED: 1/28/2014 **DATE MODIFIED:** 1/28/2014 **LAST PRR:** CCB 260

NJMMIS Data Element Dictionary

Mainframe Name: TPL INDICATOR

ID No: 020078

DEFINITION: Indicates if recipient has information on TPL Resource File

ALTERNATE/COBOL NAMES: A-TPL-IND
C05-TPL-IND
TPL_IND

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: CLAIMS

FORMAT: X(1)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: NJ2BE060\DB2 Table
CLM_COMMON_SYSTEM

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Program NJ2BE060 checks TPL resource indicator on the Recipient Master File.

VALUES:

Y	Listed Recipient Has Information On Resource File
N	Listed Recipient Does Not Have Information On Resource File

DATE ADDED: 10/16/1990 **DATE MODIFIED:** 6/29/2007 **LAST PRR:** Phase II Claims
DB2 Enhancement

NJMMIS Data Element Dictionary

Mainframe Name: TPL INDIVIDUAL NUMBER

ID No: 030057

DEFINITION: 2 digit number identifying specific individual within a case

ALTERNATE/COBOL NAMES: INDIVIDUAL NUMBER
PERSON NUMBER
TPL-INDIV-NUMB

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: 9(02)

EDIT RULES: Required, Valid Numerical Value **STORAGE TYPE:** C

DEFAULT:

SOURCE: All OIT CN and MN Files

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Unique person number which, when used with the case number, identifies the recipient. This field is a component of the Recipient ID number.

VALUES:

01-04, 06-09	Adult
05	Unborn Child (Medicaid Only, Pregnant Adult, Presumptively Eligible Pregnant Woman)
10-19	Essential Person (Any Age)
20-39	Children Under 21
40-47	Medicaid Special - Siblings Within Family Unit
48	Medicaid Special - Second Individual Residing With 49 In A Marital Relationship
49	Medicaid Special - Single Individual

NJMMIS Data Element Dictionary

Mainframe Name: TPL INSURER CODE

ID No: 035004

DEFINITION: Insurance carrier code

ALTERNATE/COBOL NAMES: R06:35004-TPL-EMPL-INS-CDE
R09:35004-TPL-INS-CDE
R35-35004-TPL-INS-CDE
R39-35004-TPL-INS-CDE

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: X(03)

EDIT RULES: Must Be Valid Value

STORAGE TYPE: C

DEFAULT: N/A

SOURCE: On-Line Input

SATISFIES HCFA REQUIREMENT(S): 113 THIRD PARTY LIABILITY

DESCRIPTION:

See Carrier Code (090101). Codes are input from the State via R06FCNEU CN/MN Eligibility Update File during status conversion. Currently, all modifications or additions are done on-line.

DATE ADDED: 2/11/1990 **DATE MODIFIED:** 10/27/1992 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL IV-D INDICATOR

ID No: 090050

DEFINITION: Indicates absent parent coverage

ALTERNATE/COBOL NAMES: TPL-IV-D-INDICATOR

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(01)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: Tape/Update Form

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Indicates whether absent parent coverage is in effect. On TPL Resource File.

VALUES:

Y	Absent parent coverage
BLANK or N	No Absent Parent Coverage
V	Domestic Violence Coverage

DATE ADDED: 6/4/1990 **DATE MODIFIED:** 2/3/2010 **LAST PRR:** MOD 7753

NJMMIS Data Element Dictionary

Mainframe Name: TPL LAST CHANGE DATE

ID No: 030092

DEFINITION: Date of last update to TPL data

ALTERNATE/COBOL NAMES: TPL-LST-CHG-DTE

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: X(8)

EDIT RULES: Required, Valid Date

STORAGE TYPE: C

DEFAULT: Current System Date

SOURCE: All CN/MN Files, All PAAD
Files

SATISFIES HCFA REQUIREMENT(S): 224 DATE OF LAST TRANSACTION

DESCRIPTION:

Last change date associated with TPL data. Changes are from State input files. This field is used for reconciliation processing.

DATE ADDED: 12/8/1990 **DATE MODIFIED:** 5/28/1991 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL MATRIX RANGE TYPE

ID No: 090403

DEFINITION: Code Identified the Type of TPL Information

ALTERNATE/COBOL NAMES: TPL-MATRIX-RANGE-TYPE

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: x(01)

EDIT RULES: Must Be Valid Value

STORAGE TYPE: C

DEFAULT: SPACE

SOURCE: On-Line user

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Code Identified the type of TPL information

VALUES:

C	PROCEDURE and DIAGNOSIS
D	DRG
P	PROCEDURE
R	REVENUE
SPACE	DEFAULT

DATE ADDED: 5/19/2021 **DATE MODIFIED:** 5/19/2021 **LAST PRR:** MOD 10036

NJMMIS Data Element Dictionary

Mainframe Name: TPL MATRIX STATUS

ID No: 090020

DEFINITION: Determines TPL status of claim

ALTERNATE/COBOL NAMES: TPL-MATRIX-STATUS

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X(01)

EDIT RULES:

STORAGE TYPE: C

DEFAULT: None

SOURCE: State Request

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Determines status of claim based on category of service and TPL scope of coverage.

VALUES:

01	Pay
03	Deny

DATE ADDED: 1/21/1992 **DATE MODIFIED:** 10/27/1992 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL NUMBER OF CLAIMS

ID No: 090408

DEFINITION: Summary record claim count

ALTERNATE/COBOL NAMES: TPLTR:NUMBER-OF-CLAIMS

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: 9(5)

EDIT RULES: Numeric

STORAGE TYPE: P

DEFAULT:

SOURCE: System Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

DATE ADDED: 4/13/1990 **DATE MODIFIED:** 4/6/1992 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL OCCURRENCE COUNTER

ID No: 031022

DEFINITION: Accumulation of TPL occurrences

ALTERNATE/COBOL NAMES: TPL-OCCURS-CNT

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: 9(02)

EDIT RULES: N/A

STORAGE TYPE: C

DEFAULT: Zeros

SOURCE: System-Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

DATE ADDED: 5/7/1991 **DATE MODIFIED:** 5/7/1991 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL ORIG INSURER CODE

ID No: 090090

DEFINITION: First or original number/code associated with this insuror

ALTERNATE/COBOL NAMES: JM14-INS-CD
ORIG-INSUROR-CODE, ORG CODE
ORIGINAL INSURER CODE

SYSTEM: MMIS/ECPS **DSS Ind:** Yes

PRIMARY SUBSYSTEM: TPL **FORMAT:** X(3)

EDIT RULES: Must Be Numeric, Range of 001 thru 099 **STORAGE TYPE:** C

DEFAULT: Space **SOURCE:** On-Line Entry

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

When present, identifies a previously used Insurer ID Number referencing the insurer record.

VALUES:

001-099

DATE ADDED: 5/27/1993 **DATE MODIFIED:** 10/30/2014 **LAST PRR:** Doc Update

NJMMIS Data Element Dictionary

Mainframe Name: TPL PART A SOURCE ID

ID No: 090442

DEFINITION: Identifies the Source of update Part A information

ALTERNATE/COBOL NAMES: PART-A-SOURCE-ID

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X(04)

EDIT RULES: None

STORAGE TYPE: C

DEFAULT:

SOURCE: System Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

The Part A Source ID is used to identify a source of update for Part A information.

DATE ADDED: 2/4/2005 **DATE MODIFIED:** 2/4/2005 **LAST PRR:** CCB 228/Phase II
Enhancement -
MSO Indicator

NJMMIS Data Element Dictionary

Mainframe Name: TPL PART B SOURCE ID

ID No: 090443

DEFINITION: Identifies the Source of update for Part B information.

ALTERNATE/COBOL NAMES: PART-B-SOURCE-ID

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X(04)

EDIT RULES: None

STORAGE TYPE: C

DEFAULT:

SOURCE: On-line Batch

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

The Part B Source ID is used to identify a source of update for Part B information.

DATE ADDED: 2/4/2005 **DATE MODIFIED:** 2/4/2005 **LAST PRR:** CCB 228/Phase II
Enhancement -
MSO Indicator

NJMMIS Data Element Dictionary

Mainframe Name: TPL PAYMENT OF PREMIUM

ID No: 090452

DEFINITION: Identifies the Payment of Permium Indicator that is used for a Claim Processing

ALTERNATE/COBOL NAMES: POP-IND

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X(01)

EDIT RULES: None

STORAGE TYPE: C

DEFAULT:

SOURCE: Batch

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

The TPL PAYMENT OF PREMIUM is used for a Claim Processing

DATE ADDED: 5/22/2007 **DATE MODIFIED:** 5/22/2007 **LAST PRR:** Phase II TPL Enhancement

NJMMIS Data Element Dictionary

Mainframe Name: TPL POLICY SOURCE ID

ID No: 090444

DEFINITION: Identifies the Source of update for Policy Information on TPL Resource Master File.

ALTERNATE/COBOL NAMES: IN-MCI-ACS-STR-ZIP-CODE
POLICY-SOURCE-ID

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(04)

EDIT RULES: None

STORAGE TYPE: C

DEFAULT:

SOURCE: On-line Batch

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

The Policy Source ID is used to identify a source of update for Policy Information on TPL Resource Master File.

2/4/2005 **DATE MODIFIED:** 5/22/2015 **LAST PRR:** MOD 7925

NJMMIS Data Element Dictionary

Mainframe Name: TPL POS CLAIM COUNT

ID No: 063002

DEFINITION: Number of clams that fall under a given other coverage code

ALTERNATE/COBOL NAMES: M89:CLAIM-CNT

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: MARS

FORMAT: PIC S9(11)

EDIT RULES:

STORAGE TYPE: P

DEFAULT:

SOURCE: System Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Any Integer

DATE ADDED: 3/23/1999 **DATE MODIFIED:** 3/23/1999 **LAST PRR:** CCB 136

NJMMIS Data Element Dictionary

Mainframe Name: TPL POTENTIAL DISABLE

ID No: 020077

DEFINITION: Potential disability indicated by diagnosis/procedure

ALTERNATE/COBOL NAMES: C05-TPL-POTENTIAL-DIS
TPL-POTENTIAL-DISABLE
TPL_POTENTIAL_DIS

SYSTEM: MMIS/ECPS

DSS Ind: Yes

PRIMARY SUBSYSTEM: CLAIMS

FORMAT: X(1)

EDIT RULES: System Assigned

STORAGE TYPE: C

DEFAULT:

SOURCE: System-Assigned\DB2 Table
CLM_COMMON_SYSTEM

SATISFIES HCFA REQUIREMENT(S): 385 THIRD PARTY FOLLOW-UP FLAG

DESCRIPTION:

Indicates Potential Disability resulting from renal dialysis treatments possibly billable to Medicare.

DATE ADDED: 2/12/1990 **DATE MODIFIED:** 6/29/2007 **LAST PRR:** Phase II Claims
DB2 Enhancement

NJMMIS Data Element Dictionary

Mainframe Name: TPL RECIPIENT ID NUMBER

ID No: 030089

DEFINITION: Recipient ID number associated with TPL eligibility

ALTERNATE/COBOL NAMES: TPL-RECIP-ID

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: X(12)

EDIT RULES: N/A

STORAGE TYPE: C

DEFAULT:

SOURCE: Currently Not Used

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Refer to Recipient ID number.

DATE ADDED: 6/5/1990 **DATE MODIFIED:** 6/5/1990 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL RECIPIENT NAME CONTROL

ID No: 090440

DEFINITION: First four characters of recipient's last name on Employer Change record

ALTERNATE/COBOL NAMES: TPLEMPCH-NCTL

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X(04)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: System-Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

First four characters of the recipient's last name. Sent to the State on the Employer Change record as a cross-check to make sure the State is updating the correct PAAD recipient record.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL RECIPIENT TYPE IND

ID No: 090140

DEFINITION: Indicates if recipient is a PAAD or Senior Gold recipient type

ALTERNATE/COBOL NAMES: TPLEMPUP:PAADGOLD-IND

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X(01)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: PAAD/Gold Employer Update
Screen

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

On TPL Employer Code Update File.

VALUES:

G	Senior Gold Recipient
P	PAAD Recipient

DATE ADDED: 5/24/2001 **DATE MODIFIED:** 5/24/2001 **LAST PRR:** CCB 212

NJMMIS Data Element Dictionary

Mainframe Name: TPL RECORD NUMBER

ID No: 032253

DEFINITION: Sequence number used internally in Recipient files

ALTERNATE/COBOL NAMES: TPL-RECORD-NUMBER

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: 9(03)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: OIT MN Files

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Internal number used to sequence update records by TPL begin date.

DATE ADDED: 5/8/1991 **DATE MODIFIED:** 5/8/1991 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL RECORD TYPE

ID No: 090404

DEFINITION: Identifies record as TPL type

ALTERNATE/COBOL NAMES: 90404-TPL-REC-TYPE

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: X(02)

EDIT RULES:

STORAGE TYPE: C

DEFAULT: 30

SOURCE: RECIPIENT SYSTEM

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

VALUES:

30 TPL RECORD TYPE

DATE ADDED: 10/16/2013 **DATE MODIFIED:** 10/16/2013 **LAST PRR:** CCB-280

NJMMIS Data Element Dictionary

Mainframe Name: TPL SOURCE OF LAST CHANGE

ID No: 030095

DEFINITION: Identifies the source from which the update was obtained

ALTERNATE/COBOL NAMES: TPL-SOURCE-LAST-CHANGE

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: RECIPIENT

FORMAT: X(02)

EDIT RULES: N/A

STORAGE TYPE: C

DEFAULT:

SOURCE: System-Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Field is used to identify last source of update.

VALUES:

CN	Categorically Needy Files
MN	Medically Needy Files
PA	PAAD Files

DATE ADDED: 5/7/1991 **DATE MODIFIED:** 5/7/1991 **LAST PRR:**

NJMMIS Data Element Dictionary

Mainframe Name: TPL SOURCE OF UPDATE

ID No: 090041

DEFINITION: Person or source file associated with an update

ALTERNATE/COBOL NAMES: EMPLOYER-SOURCE
INSUROR:SOURCE
R35-32242-SOURCE-OF-LAST-CHG
SOURCE-OF-UPDATE

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: TPL

FORMAT: X(4)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: Update Form/Tape/System-
Generated

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

On-line User ID or source file for update of specific TPL file.

NJMMIS Data Element Dictionary

Mainframe Name: TPL TRACKING IND

ID No: 090415

DEFINITION: Identifies recovery activities performed by prime

ALTERNATE/COBOL NAMES: TPLMEDTU-IND
TPLPADTU-IND

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(2)

EDIT RULES: Valid Values Listed Below

STORAGE TYPE: C

DEFAULT:

SOURCE: Prime Update Tape

SATISFIES HCFA REQUIREMENT(S): 385 THIRD PARTY FOLLOW-UP FLAG

DESCRIPTION:

On TPL Medicaid Tracking Update File and TPL PAAD Update Tracking File. These files are no longer used, since this function was replaced by the on-line recovery process. Therefore, this field is obsolete.

VALUES:

01	On Tracking File, Sending Recovery Money
02	On Tracking File, No Recovery
03	Accreted By Prime, Sending Recovery Money
04	Accreted By Prime, No Recovery

DATE ADDED: 6/13/1990 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL UB82 CODE

ID No: 090091

DEFINITION: Code identifying Medicare, Medicaid and UB82 or UB92 Payor ID

ALTERNATE/COBOL NAMES: INSUROR:UB82CDE
UB82 PAYOR CODE
UB82-CODE

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(3)

EDIT RULES: Must Be Numeric

STORAGE TYPE: C

DEFAULT: Space

SOURCE: On-Line Entry

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

On TPL Insurer File

Payor identifier for Medicare, Medicaid and UB92 Payor IDs.

NJMMIS Data Element Dictionary

Mainframe Name: TPL USERID FINALIZED

ID No: 090432

DEFINITION: Identifies the individual who finalized a TPL recovery payment batch

ALTERNATE/COBOL NAMES: TPLPAYMT-USERID-FINALIZED

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(07)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: State TPL Unit Operator

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

User ID of the person that finalized the batch of TPL recovery payments.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL USERID POSTED

ID No: 090434

DEFINITION: Identifies the individual who posted a TPL recovery payment record

ALTERNATE/COBOL NAMES: TPLLPAYMT-USERID-POSTED

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(07)

EDIT RULES:

STORAGE TYPE: C

DEFAULT:

SOURCE: State TPL Unit Operator

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

User ID of the person that posted a payment to the TPL system.

DATE ADDED: 12/10/1999 **DATE MODIFIED:** 12/10/1999 **LAST PRR:** CCB 128

NJMMIS Data Element Dictionary

Mainframe Name: TPL VERIFICATION INDIC

ID No: 090032

DEFINITION: Identifies positive TPL coverage

ALTERNATE/COBOL NAMES: OLD TPL VERIFICATION INDIC
POLICY-VERIFICATION-IND

SYSTEM: MMIS

DSS Ind: Yes

PRIMARY SUBSYSTEM: TPL

FORMAT: X(1)

EDIT RULES: Valid Values Listed Below

STORAGE TYPE: C

DEFAULT: Blank

SOURCE: TPL Update Forms/Tapes

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

Indicates that current or former TPL coverage was verified.

VALUES:

N	Coverage Not Verified
Y	Coverage Verified
V	Domestic Violence Case

DATE ADDED: 1/18/1990 **DATE MODIFIED:** 10/4/2010 **LAST PRR:** MOD-8088

NJMMIS Data Element Dictionary

Mainframe Name: TPL-POS REPORT INDICATOR

ID No: 063001

DEFINITION: Indicates what report a claim applies to in the NJ6BD350 program

ALTERNATE/COBOL NAMES: M89:REPT-IND

SYSTEM: MMIS

DSS Ind: No

PRIMARY SUBSYSTEM: MARS

FORMAT: PIC 9(01)

EDIT RULES:

STORAGE TYPE:

DEFAULT:

SOURCE: System Generated in
NJ6BC100

SATISFIES HCFA REQUIREMENT(S):

DESCRIPTION:

VALUES:

- | | |
|---|--------------------------|
| 1 | TOTALS for D6350 REPORTS |
| 2 | TOTALS FOR D6355 REPORTS |
| 3 | D6350R05 REPORT |
| 4 | D6355R05 REPORT |
| 5 | D6350R10 REPORT |
| 6 | D6355R10 REPORT |
| 7 | TOTALS FOR D6356 REPORTS |
| 8 | D6356R05 REPORT |
| 9 | D6356R10 REPORT |