

Exhibit 7

BATCH_FIN_EXT_NJSDU

INTRODUCTION

The process BATCH_FIN_EXT_NJSDU creates master file of all cases of NJKiDS. This file includes all open cases with or without order and closed cases with order. This file is for the SDU to be able to correctly identify receipts.

1.1.1 BATCH_FIN_EXT_NJSDU.SP_EXT_NJSDU

1.1.1.1. Purpose

This procedure identifies the cases according to the selection criteria specified below, moves the data to the temporary table and creates an output file to SDU.

1.1.1.2. Database Tables Affected:

1.1.1.2.1. Driver Tables

- CASE_DETAILS (CASE)
- CASE_MEMBERS (CMEM)
- ADDRESS_DETAILS (AHIS)
- MEMBER_DEMOGRAPHICS (DEMO)

1.1.1.2.2. Output Tables

- EXTRACT_NJSDU

1.1.1.3. Process Description

This procedure identifies the cases, moves the data to the temporary table EXTRACT_NJSDU and creates an output file using the oracle package UTL_FILE to SDU.

- Get the run date and last run date from PARM (Parameters table) and validate that the batch program was not executed for the run date by checking the last run date in the PARM Table.
- Delete already existing records from the EXTRACT_NJSDU Table.
- Read PARM table to determine if the job needs to be run for daily extract or Weekly extract.

DAILY EXTRACT:

Daily EXTRACT:

BATCH_FIN_EXT_NJSDU.SP_EXT_NJSDU

- Find all newly added open cases with/without court order and closed cases from CASE that has not previously been sent to SDU. Get the NCP DCN, NCP's name, NCP's SSN, CP DCN, CP's name and CP's DCN from Member Demographics screen DEMO/DEMO table and Office number, County code from Case Details CASE screen/ Case table to EXTRACT_NJSDU table if the frequency is daily.

Weekly EXTRACT:

BATCH_FIN_EXT_NJSDU.SP_EXT_NJSDU_MASTER

- For all open cases with/without court order in CASE, find the NCP and CP from Case member screen CMEM/CMEM table. Get the NCP DCN, NCP's name, NCP's SSN, CP DCN, CP's name and CP's DCN from Member Demographics screen DEMO/DEMO table, Office number, County code from Case Details CASE screen/ Case table, NCP's address, CP's address from Member Address History screen AHIS/AHIS table, and move to the EXTRACT_NJSDU table if the frequency is Weekly.
- Create indicator fields for CP/NCP PIN Notice eligibility. Field value will be set to 'Y'- Yes or 'N'- No to indicate whether or not the member is eligible. Select NCPs on open Instate cases or Responding Interstate cases or Initiating Interstate cases with referral type Request Registration for Modification. Exclude NCP's where DT_DECEASED does not equal '01-JAN-0001' on VDEMO. Select CP's


from open Instate/Initiating Interstate cases. Exclude CP's from Responding Interstate cases and from cases where Case Type is either J-Non Federal Foster Care or F- PA-IVE Foster Care. Exclude CP's where DT_DECEASED does not equal '01-JAN-0001' on VDEMO.

- Excluded NCP's from PIN Notice eligibility in the following conditions

- If NCP is in CWA Office, where paternity status is Putative Father & Male.
- If NCP is in CWA Office where good cause is either Approved or Pending

- Create a Header record with an appropriate record type and create date of the file.
- Create a Trailer record with an appropriate record type and total count of detail records.
- Extract the data from the temporary table EXTRACT_NJSU and create an output file using UTL_FILE package given by oracle.
- Log the Error encountered or successful completion in the BSTL table for future references.
- Update the last run date in the PARM table with the run date, upon successful completion.

1.1.1.4. Flow Chart



1.1.1.5. Frequency

Run Daily. On a weekly frequency, a full refresh is done. The daily update will not be scheduled on days when the weekly refresh is scheduled.

1.1.1.6. Dependencies

- 1.1.1.6.1. Predecessors:
1.1.1.6.2. Successors:

1.1.1.7. Restart Procedures

Start from beginning

1.1.1.8. Instructions if Job is skipped

Job cannot be skipped.

1.1.1.9. Commit Frequency

One time at end of job

1.1.1.10. Exception Threshold

-

1.1.1.11. Input File(s)

S.No	Name of the File	File Format	Transfer Mechanism	File location	Estimated size (in MB's)
-	-	-	-	-	-

1.1.1.11.1. File Layout

-

1.1.1.12. Output File(s)

S.No	Name of the File	File Format	Transfer Mechanism	File location	Estimated size (in MB's)
1	Daily: EXT_NJSDU_VALIDATION_NEW_CASES.TXT Weekly: EXT_NJSDU_VALIDATION_MASTER.TXT	TXT	SFTP	-	-

1.1.1.12.1. File Layout (Daily)

Field name	Position	Length	Type C-char D-date N-number	Format/ Default value	Description
HEADER					
TYPE	1-1	1	C	'H'	
CRDATE	2-9	8	D	CCYYMMDD	Date when this file is generated.
FILE_TYPE	10-12	3	C		'DLY' – Daily Extract
FILLER	13-122	110	C	Spaces	
DETAIL					
TYPE	1-1	1	C	'D'	
OFFICE-NO	2-4	3	C		Office Number
COUNTY_NUM	5-6	2	C		County Code
CASE-ID	7-17	11	C		Id Case
FILLER	18-20	3	C	Spaces	
CP-NAME:					
CP-LAST-NAME	21-38	18	C		CP's Last Name
CP-SUFFIX	39-41	3	C		CP's Suffix

CP-FIRST-NAME	42-53	12	C		CP's First Name
CP-MIDDLE-INITIAL	54-54	1	C		CP's Middle Initial
CP-SSN	55-63	9	C		CP's SSN
CP-DCN	64-71	8	C		CP's DCN
NCP-NAME:					
NCP-LAST-NAME	72-89	18	C		NCP's Last Name
NCP-SUFFIX	90-92	3	C		NCP's Suffix
NCP-FIRST-NAME	93-104	12	C		NCP's First Name
NCP-MIDDLE-INITIAL	105-105	1	C		NCP's Middle Initial
NCP-SSN	106-114	9	C		NCP's SSN
NCP-DCN	115-122	8	C		NCP's DCN
TRAILER:					
TYPE	1-1	1	C	'T'	
RECORD-COUNT	2-8	7	N		Total number of records
FILLER	9-122	114	C	Spaces	

Mapping table below shows the tables and columns from where the output file is loaded.

Source	Target (MASTER_FILE)
DEFAULT VALUE : 'D'	TYPE
VCASE.CD_OFFICE	OFFICE_NO
VCASE.CD_COUNTY	COUNTY_NUM
VCASE.ID_CASE	CASE_ID
DEFAULT VALUE : SPACES	FILLER
VDEMO.NAME_LAST	CP_LAST_NAME
VDEMO.NAME_SUFFIX	CP_SUFFIX
VDEMO.NAME_FIRST	CP_FIRST_NAME
VDEMO.NAME_MI	CP_MIDDLE_INITIAL
VDEMO.MEM_SSN	CP_SSN
VCMEM.ID_MEMBER	CP_DCN
VDEMO.NAME_LAST	NCP_LAST_NAME
VDEMO.NAME_SUFFIX	NCP_SUFFIX
VDEMO.NAME_FIRST	NCP_FIRST_NAME
VDEMO.NAME_MI	NCP_MIDDLE_INITIAL
VDEMO.MEM_SSN	NCP_SSN
VCMEM.ID_MEMBER	NCP_DCN

1.1.1.12.2 File Layout (Weekly)

Field name	Position	Length	Type C-char D-date N-number	Format/ Default value	Description
HEADER					
TYPE	1-1	1	C	'H'	
CRDATE	2-9	8	D	CCYYMMDD	Date when this file is generated.
FILE_TYPE	10-12	3	C		'WKY' – Weekly Extract
FILLER	13-122	110	C	Spaces	
DETAIL					
TYPE	1-1	1	C	'D'	
OFFICE-NO	2-4	3	C		Office Number
COUNTY_NUM	5-6	2	C		County Code
CASE-ID	7-17	11	C		Id Case
FILLER	18-20	3	C	Spaces	
CP-NAME:					
CP-LAST-NAME	21-38	18	C		CP's Last Name
CP-SUFFIX	39-41	3	C		CP's Suffix
CP-FIRST-NAME	42-53	12	C		CP's First Name
CP-MIDDLE-INITIAL	54-54	1	C		CP's Middle Initial
CP-SSN	55-63	9	C		CP's SSN
CP-DCN	64-71	8	C		CP's DCN
NCP-NAME:					
NCP-LAST-NAME	72-89	18	C		NCP's Last Name
NCP-SUFFIX	90-92	3	C		NCP's Suffix
NCP-FIRST-NAME	93-104	12	C		NCP's First Name
NCP-MIDDLE-INITIAL	105-105	1	C		NCP's Middle Initial
NCP-SSN	106-114	9	C		NCP's SSN
NCP-DCN	115-122	8	C		NCP's DCN
CP-ADDRESS:					
CP_ADDR_ATTEN	123-162	40	C		CP's Address
CP_ADDR_LINE1	163-212	50	C		
CP_ADDR_LINE2	213-262	50	C		
CP_ADDR_LINE3	263-312	50	C		
CP_ADDR_CITY	313-340	28	C		
CP_ADDR_STATE	341-342	2	C		
CP_ADDR_ZIP	343-357	15	N		
CP_ADDR_COUNTRY	358-359	2	C		
NCP-ADDRESS:					
NCP_ADDR_ATTEN	360-399	40	C		NCP's Address
NCP_ADDR_LINE1	400-449	50	C		
NCP_ADDR_LINE2	450-499	50	C		
NCP_ADDR_LINE3	500-549	50	C		
NCP_ADDR_CITY	550-577	28	C		
NCP_ADDR_STATE	578-579	2	C		
NCP_ADDR_ZIP	580-594	15	N		
NCP_ADDR_COUNTRY	595-596	2	C		
PIN NOTICE ELIGIBILITY:					

CP_PIN_INDICATOR	597-597	1	C	'Y' or 'N'	CP PIN Notice Indicator
NCP_PIN_INDICATOR	598-598	1	C	'Y' or 'N'	NCP PIN Notice Indicator
TRAILER:					
TYPE	1-1	1	C	'T'	
RECORD-COUNT	2-8	7	N		Total number of records
FILLER	9-122	114	C	Spaces	

Mapping table below shows the tables and columns from where the output file is loaded.

Source	Target (MASTER_FILE)
DEFAULT VALUE : 'D'	TYPE
VCASE.CD_OFFICE	OFFICE_NO
VCASE.CD_COUNTY	COUNTY_NUM
VCASE.ID_CASE	CASE_ID
DEFAULT VALUE : SPACES	FILLER
VDEMO.NAME_LAST	CP_LAST_NAME
VDEMO.NAME_SUFFIX	CP_SUFFIX
VDEMO.NAME_FIRST	CP_FIRST_NAME
VDEMO.NAME_MI	CP_MIDDLE_INITIAL
VDEMO.MEM_SSN	CP_SSN
VCMEM.ID_MEMBER	CP_DCN
VDEMO.NAME_LAST	NCP_LAST_NAME
VDEMO.NAME_SUFFIX	NCP_SUFFIX
VDEMO.NAME_FIRST	NCP_FIRST_NAME
VDEMO.NAME_MI	NCP_MIDDLE_INITIAL
VDEMO.MEM_SSN	NCP_SSN
VCMEM.ID_MEMBER	NCP_DCN
VAHIS.ADDR_ATTEN	CP_ADDR_ATTEN
VAHIS.ADDR_LINE1	CP_ADDR_LINE1
VAHIS.ADDR_LINE2	CP_ADDR_LINE2
VAHIS.ADDR_LINE3	CP_ADDR_LINE3
VAHIS.ADDR_CITY	CP_ADDR_CITY
VAHIS.ADDR_STATE	CP_ADDR_STATE
VAHIS.ADDR_ZIP	CP_ADDR_ZIP
VAHIS.ADDR_COUNTRY	CP_ADDR_COUNTRY
VAHIS.ADDR_ATTEN	NCP_ADDR_ATTEN
VAHIS.ADDR_LINE1	NCP_ADDR_LINE1
VAHIS.ADDR_LINE2	NCP_ADDR_LINE2
VAHIS.ADDR_LINE3	NCP_ADDR_LINE3
VAHIS.ADDR_CITY	NCP_ADDR_CITY
VAHIS.ADDR_STATE	NCP_ADDR_STATE
VAHIS.ADDR_ZIP	NCP_ADDR_ZIP
VAHIS.ADDR_COUNTRY	NCP_ADDR_COUNTRY
'Y' or 'N' based on selection criteria	CP_PIN_INDICATOR
'Y' or 'N' based on selection criteria	NCP_PIN_INDICATOR

1.1.1.13. Contact information

Name of the Agency	Technical Contact	Functional Contact
-	-	-

1.1.1.14. Stored Procedure / Functions matrix

No	Stored Procedure Name/ Arguments	Nature of the procedure / Function	Description	Output	Tables / Screens	Applicability			
						I	A	U	D
1	BATCH_FIN_EXT_NJSDU.SP_EXT_NJSDU	Extract	Get CP's Name, SSN, DCN, NCP's Name, NCP's SSN, DCN, County code and Office Number Sorted on Office Number and NCP's SSN. Create an output file to SDU.	-	VCASE VCMEM VDEMO EXTRACT_NJSDU	Y Y Y Y	- - - Y	- - - -	- - - Y
2	BATCH_COMMON.SP_GET_BATCH_DETAILS	Common Routine	Getting Run date	-	-	-	-	-	-
3	BATCH_COMMON.SP_GET_BATCH_DETAILS	Common Routine	Getting Last Run date	-	-	-	-	-	-
4	BATCH_COMMON.SP_UPDATE_PARM_DATE	Common Routine	Updating Last run date	-	-	-	-	-	-
5	BATCH_COMMON.SP_BSTL_LOG	Common Routine	Inserting the batch status	-	-	-	-	-	-
6	BATCH_COMMON.SP_BATE_LOG	Common Routine		-	-	-	-	-	-
7	BATCH_FIN_EXT_NJSDU. SP_EXT_NJSDU_MASTER	Extract	Get CP's Name, SSN, DCN, CP's Address, CP's PIN Notice Eligibility, NCP's Name, NCP's SSN, DCN, NCP's Address, NCP's PIN Notice Eligibility, County code and Office Number Sorted on Office Number and NCP's SSN. Create an output file to SDU.	-	VCASE VCMEM VDEMO VAHIS EXTRACT_NJSDU	Y Y Y Y Y	- - - - Y	- - - - -	- - - - Y