DEPARTMENT OF THE NAVY
NAVAL FACILITIES ENGINEERING SYSTEMS COMMAND, MID-ATLANTIC
9324 VIRGINIA AVENUE
NORFOLK, VIRGINIA 23511-3095

J&A No. ML-23-33

JUSTIFICATION AND APPROVAL FOR USE OF OTHER THAN FULL AND OPEN COMPETITION

1. Contracting Activity.

The contracting activity is Naval Facilities Engineering Systems Command, Mid-Atlantic (NAVFAC ML).

2. Description of the Action Being Approved.

This Justification and Approval (J&A) authorizes the use of "brand name or equal" references in construction solicitations where it is necessary to effectively communicate interior color and finish selections. Specific band name finish and description are listed in Attachment 1 below and are specific to solicitation N40085-23-R-2563 and the resulting contract.

3. Description of Supplies/Services.

The intent of solicitation N40085-23-R-2563 for P475 Aircraft Maintenance Hangar located at Marine Corps Air Station Beaufort, SC is to complete the construction of an aircraft maintenance hangar consisting of high bay space, crew and equipment space, administrative space, data network areas, and a multi-level, reinforced concrete, parking facility of approximately 400 spaces. The intent of this J&A is to approve the use of brand name or equal purchase descriptions in accordance with FAR 11.104, identifying paint colors and interior finishes by brand names and proprietary descriptions from specific manufacturers. The solicitation is not intended to limit competition, however, and this justification does not seek approval to limit competition in this regard.

This acquisition will solicit proposals utilizing full and open competition, as authorized by the approved DD2579 on 28 June 2022. The estimated value of the work included in this construction solicitation is [redacted] and the estimated value of the brand name items that are the subject of this J&A is [redacted] The project will be funded by FY22 and FY23 MILCON funds for construction and FY25 and FY26 Capital Investment Program (CIP) funds for furnishings and equipment. The work under this contract is required to be completed within 925 days after award.

In order to sufficiently define the scope of work to be performed by a construction contractor, a Basis of Design (BOD) is prepared to document the principles, assumptions, rationale, criteria, and considerations used for calculations and decisions required during design. When preparing a BOD for a construction project, it is not practicable to convey the required finishes to potential offerors using mere descriptions. For example, it is not feasible to adequately describe a particular shade of paint color that must be used in order to provide aesthetic compatibility within the buildings; however, the intended hue can be conveyed by referencing a particular

manufacturer's proprietary color, and that color can then be replicated in any brand of paint. Therefore, the use of brand name references is necessary to convey requirements, but is not intended to restrict competition. The identified brand name items or proprietary specifications are intended to solely relay the BOD for the interior finishes. The specification for a certain interior finish will include the manufacturer's name, product line, model number, etc. along with all salient characteristics necessary for "equal" products to meet contract performance requirements. While it is possible for many manufacturers to produce finishes that are functionally equivalent to these designated finishes, the finish descriptions themselves are nonetheless proprietary specifications unique to particular manufacturers. The contract performance requirements are not proprietary, and can be met by many established manufacturers. Manufacturer(s) and product line(s) are identified only to establish a color and aesthetic BOD.

4. Statutory Authority Permitting Other Than Full and Open Competition.

The National Defense Authorization Act for Fiscal Year 2017, 114 P.L. 328 (December 23, 2016) states under Section 888, "[t]he Secretary of Defense shall ensure that competition in Department of Defense contracts is not limited through the use of specifying brand names or brand-name or equivalent descriptions, or proprietary specifications or standards, in solicitations unless a justification for such specification is provided and approved in accordance with section 2304(f) of title 10, United States Code. Title 10, Section 2304 has been repealed, modified, and recodified at 10 U.S.C. § 3204 (effective January 1, 2022, amended by Pub. L. No. 117-81, 135 Stat. 154), and implemented by FAR 6.302-1(c), and DFARS 206.302-1(c)(2) and (S-70) (Only One Responsible Source and No Other Supplies or Services Will Satisfy Agency Requirements).

5. Rationale Justifying Use of Cited Statutory Authority.

As a preliminary matter, this justification is formatted in accordance with 10 U.S.C. § 3204, but the intent of the source selection authority is not to limit competition based on the use of brand names or equal purchase descriptions in the solicitation. This justification is merely meant to document compliance with section 888 of the 2017 NDAA. Section 888(a) of the FY17 NDAA requires that competition on Department of Defense (DoD) contracts not be limited through the use of brand name or equal descriptions or proprietary specifications or standards, in solicitations, unless a justification is approved in accordance with 10 USC 2304(f). In accordance with DFARS 206.302-1(c)(2), DFARS 211.104, and DFARS 213.501(a)(ii), use of Brand Name or Equal references requires a J&A for Other than Full and Open Competition.

To put things simply, paint colors and interior finishes of a building can easily be color-matched by a variety of manufacturers and suppliers. It is common in the industry for colors and finishes to be identified by a particular brand or manufacturer and that brand's name or identifier for the product. The government has a legitimate need in this case for specific interior paint colors and building finishes, but does not seek to limit the source of those materials to a specific brand or manufacturer.

Facilities Criteria (UFC) 1-120-10 Interior Design, with Change 2 was released on June 15, 2021 and is not the appropriate version. UFC 3-120-10 Interior Design, with Change 1 is the

applicable criteria for this project in accordance with Unified Facilities Criteria (UFC) 1-200-01 DOD Building Code, Chapter 1 paragraph 1-3.1 Implantation, Administration, and Enforcement because the level of design had preceded beyond 35%.

UFC are effective upon issuance for projects as follows:

• Design-Bid-Build projects that have not proceeded beyond 35% design completion.

•Design-Build projects that have not proceeded beyond date of Request for Proposal (RFP) issuance. When an RFP is issued in multiple phases or steps use the date of the last phase of the RFP issuance.

•Projects that have a delay, either planned or unintentional, of more than 18 months between design completion and the solicitation of offers for construction must be re-evaluated to determine if any design revision is necessary due to changes in criteria (including codes and standards) or site infrastructure (for example, water supply for fixed fire suppression systems, water for hose stream allowances, or fire department vehicle access). Note: The evaluation must also include retroactive requirements that have been included in the new editions of the criteria.

The Structural Interior Design (SID) of a facility includes building-related design elements and components as part of the building construction, such as wall paint or coverings, ceiling paint or finish, floor coverings (e.g. tile, carpet, etc.), primary window treatments (e.g. blinds, shades and drapery hardware, etc.), signage and built-in casework. The interior designer must determine the desired interior finish materials based on the respective aesthetic, durability and maintenance qualities, and characteristics applicable to each space within the facility. The SID is designed by a qualified interior designer in accordance with Unified Facilities Criteria (UFC) 3-120-10 Interior Design, Chapter 2 paragraph "Interior Designer Qualifications."

It is necessary for the government to include brand names or proprietary specifications for finishes to have a complete design that can be properly conveyed to the construction contractor. UFC Requirements: (reference UFC 3-120-10 with Change 1, paragraph 4-5.1).

The interior designer must provide all finish and color selections including finish code, manufacturer's materials, textures, patterns, color names and numbers for all interior finishes and specialties which will be exposed to view in the finished construction. The Government will direct which of the following methods to use.

It is noted that the UFC stipulates use of the following disclaimer: (reference paragraph 4-5.1.2):

The Government prohibits the use of proprietary materials, finishes and colors. A disclaimer must be used on the drawings or in the specifications indicating materials and colors are shown for reference only. However, it is important to use specific manufacturer, finish and color information to establish a frame of reference in the development of the [Structural Interior Design] SID. Reference UFGS 09 06 00 Schedules for Finishes for the appropriate disclaimer to use that addresses this issue when developing the SID.

UFGS 09 06 00 Schedule for Finishes, Paragraph 2.1 states:

"The color schedule information provided in the following paragraphs lists the colors, patterns and textures required for exterior and interior finishes, including both factory applied and field applied colors. Where color is shown as being specific to one manufacturer, an equivalent color by another manufacturer may be submitted for approval. Manufacturers and materials specified are not intended to limit the selection of equal colors from other manufacturers. "

For construction contracts, FAR 52.236-5, Materials and Workmanship, addresses any potential competition concerns associated with including a basis of design on the plans or in the specifications and has been well defined and well-understood by the construction contracting community for decades. The contract that follows this solicitation will include this provision. In part, this clause states: "References in the specifications to equipment, material, articles, or patented processes by trade name, make, or catalog number, shall be regarded as establishing a standard of quality and shall not be construed as limiting competition. The Contractor may, at its option, use any equipment, material, article, or process that, in the judgment of the Contracting Officer, is equal to that named in the specifications, unless otherwise specifically provided in this contract."

The identified brand/manufacturer items or proprietary specifications are intended to be examples for the basis of interior design to help ensure visual integrity of the building's interior finishes. Interior finishes will be procured and installed as part of firm-fixed-price, design-bid-build construction contracts and will be solicited in accordance with all applicable policies, procedures, guidance, and laws related to competition.

There is no alternative method to complete a 100% design suitable for those requirements that require a design-bid-build contract. Utilizing a basis of design is a critical component of designing complete and coordinated with the Installation Design Guide under the current UFC. It is impossible to fully design a system to meet requirements without assumptions of material specifications, especially given the numerous individual subcontractors supplying their respective items. The only potential alternative is to convert all solicitations into a design-build procurement without complete designs. This alternative does not meet the government's interests in providing complete designs for facilities where the government has determined a design-bid-build procurement is in the best interests of the government pursuant to FAR Part 36 "Construction and Architect-Engineer Contracts" and Engineer Regulations (ER)1180-1-9.

6. Description of Efforts Made to Solicit Offers from as Many Offerors as Practicable.

The government is not attempting to limit competition or the supply of these materials to one source. No efforts were made to identify multiple sources of paint or interior finishes, because the solicitation will not limit the ultimate contractor to providing materials from only one or a limited number of brands or manufacturers. Regarding the project overall, a sources sought notice to determine small business interest and capability was published to Contract Opportunities via Sam.gov on 28 April 2022 with a closing date of 10 May 2022. The sources sought notice yielded zero (0) responses. A separate notice of intent for interior finishes was published to Sam.gov on 16 November with a closing date of 30 November 2022. The intent for interior finishes yielded zero (0) responses. A pre-solicitation notice and solicitation will both be

publicized on Contract Opportunities via Sam.gov, in accordance with the requirements of FAR Part 5. The approved J&A will also be made publicly available as required by FAR 6.305.

7. Determination of Fair and Reasonable Cost.

The Contracting Officer will determine that the price for this acquisition is fair and reasonable in accordance with FAR Part 15 prior to contract award. Analysis will be performed by one or more of the following techniques: (1) Comparison of proposed prices received in response to the RFP; (2) Comparison of proposed prices with the Independent Government Cost Estimate (IGCE); (3) Comparison of proposed prices with available historical information; and/or (4) Comparison of market survey results. The fair and reasonable determination will be made based on the total price of the project. These brand name or equal items are not individual line item prices in the solicitation.

8. Actions to Remove Barriers to Future Competition.

This solicitation does not limit competition. If it comes to NAVFAC ML's attention that the proposed language is having a limiting effect on competition or the selection of alternate sources of material within the scope of this justification, the contracting officer will seek counsel and make efforts to take remedial measures.

Attachment 1

FINISH IDENTIFICATION					
FINISH TYPE	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
FLOOR FINISH	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
FLOOR FINISH	SEALED CONCRETE	SHERWIN WILLIAMS	ARMORSEAL TREAD-PLEX	SW7660 EARL GREY	--
FLOOR FINISH	SEALED CONCRETE	SHERWIN WILLIAMS	RESUPRIME 3579, RESUFLOOR 3725	SW7660 EARL GREY	--
FLOOR FINISH	CARPET TILE	MANNINGTON	SUMMIT	NOMAD	12" X 48'
FLOOR FINISH	CARPET TILE	MANNINGTON	RELIC	PASSAGE	12" X 48"
FLOOR FINISH	CARPET TILE	MOHAWK	URBAN MOBILITY	961 GOLD LINE	12" X 36"
FLOOR FINISH	CARPET TILE	MOHAWK	URBAN MODEL	967 DOWNTOWN	12" X 36"
FLOOR FINISH	EPOXY RESINOUS FLOOR	STONHARD	PRIMER/GS4/PA7	SILVER GRAY	15 MIL THICK
FLOOR FINISH	EPOXY RESINOUS FLOOR	STONHARD	PRIMER/GS/GS4/PA7/PA7	SILVER GRAY	1 /4"THICK
FLOOR FINISH	ELECTRO STATIC DISSIPATIVE TILE	STATIC SMART	--	C6005 RAINIER	24" X 24"
FLOOR FINISH	LUXURY VINYL TILE	ARMSTRONG	EARTHCUT PARSA	CAFE AU LAIT	18" X 36"
FLOOR FINISH	PORCELAIN FLOOR TILE	CAESAR CERAMICS USA	WHISPER	SAND	8" X 40"
FLOOR FINISH	PORCELAIN FLOOR TILE	STONEPEAK	HIGHLAND	GREIGE	12" X 24"
FLOOR FINISH	PORCELAIN FLOOR TILE	CAESAR CERAMICS USA	STYLE	ELEGANT	2"x2" MOSAICS IN 12" X 12" SHEETS
FLOOR FINISH	RESILIENT KINETEX TILE	JJ FLOORING	UMBRA II PLANK 1819	OPAQUE 1762	18" X 36"
FLOOR FINISH	RUBBER STAIR TREAD, RISER	NORA	CLASSIC ROUND SURFACE	0749 STONE GREY	VARIES
FLOOR FINISH	RUBBER FLOOR TILE	NORA	CLASSIC ROUND SURFACE	0749 STONE GREY	39.61" X 39.61" X 1/6"THICK
FLOOR FINISH	SHOWER PAN BASE	CORIAN	SHOWER BASE PAN	CIRRUS WHITE	1/2" THICK
FLOOR FINISH	SOLID VINYL TILE	JOHNSONITE TARKETT	ARIA 3.0	GYPSY MOTH 0655	24" X 24"
FLOOR FINISH	EPOXY TERRAZZO	TERRAZZCO	--	--	3/8" THICK
FLOOR FINISH	EPOXY TERRAZZO	TERRAZZCO	--	--	3/8" THICK
FLOOR FINISH	EPOXY TERRAZZO	TERRAZZCO	--	--	3/8" THICK

FLOOR FINISH	EPOXY TERRAZZO STAIR TREAD	TERRAZZCO	--	--	VARIES
FLOOR FINISH	WALK OFF MAT	CS GROUP	GRIDLINE 2 WITH CARPET INSERT	TYPE 304 STAINLESS STEEL GRID, 9322 SLATE CARPET STRIPS	7/8" DEPTH.
CEILING FINISH	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
CEILING FINISH	ACOUSTICAL CEILING TILE	ARMSTRONG	CALLA HIGH NRC	WHITE	24" x 24" x 1-3 /4"THICK
CEILING FINISH	ACOUSTICAL CEILING TILE	ARMSTRONG	OPTIMA VECTOR, 1 /4" REVEAL	WHITE	24" x 24" x 7 /8"THICK
CEILING FINISH	ACOUSTICAL CEILING TILE	ARMSTRONG	TECHZONE, CALLA	WHITE	24" X 48" X 1-3/4" THICK
CEILING FINISH	ACOUSTICAL PLASTER CEILING	BASWAPHON	CLASSIC FINE	WHITE	30 mm THICK
CEILING FINISH	METAL CEILING PANEL	FORMS AND SURFACE	LEVELe FRAME, METAL PANEL WITH CUSTOM PATTERN SOLID PLANES WITH PERFORATED HOLE PATTERN	MATCH MWP-1	REFER TO DETAIL A1/AE442
CEILING FINISH	PAINT	SHERWIM WILLIAMS	FLAT FINISH	EARL GREY	--
CEILING FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL FINISH, DURATION HOME, A96 SERIES	EARL GREY	--
CEILING FINISH	PAINT	SHERWIM WILLIAMS	FLAT FINISH	CEILING BRIGHT WHITE	--
CEILING FINISH	PAINT	SHERWIN WILLIAMS	EPOXY	CEILING BRIGHT WHITE	--
CEILING FINISH	PAINT	SHERWIN WILLIAMS	FLAT FINISH, DURATION HOME, A96 SERIES	CEILING BRIGHT WHITE	--
CEILING FINISH	PAINT	SHERWIN WILLIAMS	EPOXY WITH POLYURETHANE	CEILING BRIGHT WHITE	--
CEILING FINISH	STAINLESS STEEL	ALLIANCE ELEVATORS	#4 BRUSHED 304 STAINLESS STEEL	--	--
CEILING FINISH	WOOD CEILING PANEL	FORMS AND SURFACE	LEVELe FRAME, WOOD VENEER PANEL FOR CEILINGS	AMERICAN WALNUT FLAT CUT	REFER TO DETAIL A1/AE442
WALL FINISH	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
WALL FINISH	ACOUSTICAL WALL PANEL	XOREL ARTFORM	SQUARE 3D, QUIET CORE PLUS PANELS	PARCHMENT EMBOSS 6305-818	20"W X 20"H X 1 1/8"THICK
WALL FINISH	ACOUSTICAL WALL PANEL	XOREL ARTFORM	WAVELINE FLAT PANEL, QUIET CORE PLUS	FRACTAL EMBOSS 6261-700	12.5" TO 20"W X 20"H X 1 1/8"THICK

WALL FINISH	DECORATIVE WALL TILE	FORMS AND SURFACES	LEVEL-e FRAME, WITH BONDED QUARTZ PANELS, KALAHARI	BONDED WHITE QUARTZ	REFERENCE ELEVATIONS
WALL FINISH	FIBERGLASS REINFORCED PANELS	MARLITE	ABSTRACT TEXTURE	4878 PEWTER MESH	REFERENCE ELEVATIONS
WALL FINISH	GLASS TILE	INTERSTYLE	SHIMMY	KHAKI, RAW FIBER, WEATHERED WHITE BLEND	MOSAIC SHEET, 11.75"W X 11.75"H
WALL FINISH	GLASS WALL PANEL	FORMS AND SURFACES	LEVELe FRAME, VIVIGRAPHIX GRAPHICA, CAIRO, REFLECT CONFIGURATION	SLATE BLUE, STANDARD FINISH	REFERENCE ELEVATIONS
WALL FINISH	METAL WALL PANEL	FORMS AND SURFACES	LEVELe FRAME, METAL PANEL WITH CUSTOM PATTERN SOLID PLANES WITH PERFORATED PATTERN	FUSED NICKEL SILVER WITH SANDSTONE FINISH	REFERENCE ELEVATIONS
WALL FINISH	METAL WALL PANEL	RIGIDIZED METAL	--	STAINLESS STEEL	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL	BIG CHILL	-
WALL FINISH	PAINT	SHERWIN WILLIAMS	EPOXY	BIG CHILL	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL, PROMAR 200 HP, B20-1900 SERIES	BIG CHILL	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL	AMAZING GRAY	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EPOXY	AMAZING GRAY	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL, PROMAR 200 HP, B20-1900 SERIES	AMAZING GRAY	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL	EARL GREY	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EPOXY	EARL GREY	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL, PROMAR 200 HP, B20-1900 SERIES	EARL GREY	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL	GOLDEN FLEECE	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL	INKY BLUE	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL, PROMAR 200 HP, B20-1900 SERIES	INKY BLUE	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL	LAGOON	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGGSHELL	GAUNTLET GRAY	--

WALL FINISH	PORCELAIN WALL TILE	CAESAR CERAMICS USA	RUN	SALT	12" X 24"
WALL FINISH	PORCELAIN WALL TILE	CAESAR CERAMICS USA	RUN	SALT	6" X 24"
WALL FINISH	PORCELAIN MOSAIC TILE	ANATOLIA	BELGIAN LINEN	LIGHT BLEND 4501-0030-1	1"X4" IN 12" X 12" SHEET
WALL FINISH	SOLID SURFACE WALL PANEL	CORIAN	MATTE	RAIN STREAK	48"W X 90"H X 1/2" THICK
WALL FINISH	STAINLESS STEEL	INPRO CORPORATION	18 GAUGE, TYPE 304	STAINLESS STEEL	48"W x 120"L PANEL
WALL FINISH	SOLID SURFACE WALL PANEL	CORIAN	MATTE	CIRRUS WHITE	1/2" THICK
WALL FINISH	SOLID SURFACE WALL PANEL	CORIAN	MATTE	RAIN STREAK	1/2" THICK
WALL FINISH	WOOD PANEL	FORMS AND SURFACES	WOOD PANEL LEVELe, FLAT CUT VENEER	AMERICAN WALNUT	REFERENCE ELEVATIONS
WALL FINISH	WOOD PANEL	CUSTOM (DIV 06)	SAPELE, QUARTERED, NATURAL GRAIN	MATCH MARLITE WOOD VENEER QTD SAPELE 8120	AS INDICATED
MISCELLANEOUS	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
MISCELLANEOUS	CORNER GUARD	INPRO CORPORATION	160 SURFACE MOUNT HIGH IMPACT	119 PEPPERDUST	2"W x 2"W x 84"H
MISCELLANEOUS	CORNER GUARD	INPRO CORPORATION	304 STAINLESS STEEL, #4 SATIN FINISH, SURFACE MOUNT	STAINLESS STEEL, #4 SATIN FINISH	2"W x 2"W x 84"H
MISCELLANEOUS	GLASS PANELS	TRULITE	KIND FT, CLEAR TEMPERED GLASS	--	1/4" THICK
MISCELLANEOUS	GROUT, EPOXY	MAPEI	--	BISCUIT	--
MISCELLANEOUS	GROUT, EPOXY	MAPEI	--	WALNUT	--
MISCELLANEOUS	GROUT, EPOXY	MAPEI	--	SILVER	--
MISCELLANEOUS	HIGH PRESSURE LAMINATE	FORMICA	SELECT CHERRY	--	--
MISCELLANEOUS	HIGH PRESSURE LAMINATE	CHEMETAL	METALWAVE ALUMINUM	--	--
MISCELLANEOUS	HIGH PRESSURE LAMINATE	FORMICA	BURNT STRAND	--	--
MISCELLANEOUS	METAL RAILING	VIVA RAILINGS	--	DUSTY GRAY	--

MISCELLANEOUS	PAINT	SHERWIN WILLIAMS	SEMI GLOSS FINISH	EARL GREY	--
MISCELLANEOUS	SOLID SURFACE MATERIAL	CORIAN	EVENING PRIMA	--	1/2"THICK
MISCELLANEOUS	SOLID SURFACE MATERIAL	CORIAN	JUNIPER	--	1/2"THICK
MISCELLANEOUS	SOLID SURFACE MATERIAL	CORIAN	LIMESTONE PRIMA	--	1/2"THICK
MISCELLANEOUS	SOLID SURFACE MATERIAL	CORIAN	NEUTRAL AGGREGATE	--	1/2"THICK
MISCELLANEOUS	SOLID SURFACE MATERIAL	CORIAN	LIMESTONE PRIMA	--	17-1/4"W x 14"D x 6-1/2"D
MISCELLANEOUS	STAINLESS STEEL	CS CONSTRUCTION	--	NO. 304 STAINLESS STEEL, SATIN FINISH	16 GAUGE
MISCELLANEOUS	TOILET PARTITION	SCRANTON	HAMMERED TEXTURE	NICKEL METALLIC	1" THICK
MISCELLANEOUS	URINAL PRIVACY SCREEN	SCRANTON	HAMMERED TEXTURE	NICKEL METALLIC	1" THICK
MISCELLANEOUS	METAL EDGE TRIM	SCHLUTER	RONDEC	STAINLESS STEEL 304	--
MISCELLANEOUS	METAL EDGE TRIM	SCHLUTER	JOLLY	SATIN ANODIZED ALUMINUM	--
MISCELLANEOUS	METAL EDGE TRIM	SCHLUTER	JOLLY	SATIN ANODIZED ALUMINUM	--
MISCELLANEOUS	METAL EDGE TRIM	MARLITE	DIVISION TRIM	SATIN ANODIZED ALUMINUM	--
MISCELLANEOUS	METAL EDGE TRIM	MARLITE	EDGE TRIM	SATIN ANODIZED ALUMINUM	--
MISCELLANEOUS	METAL EDGE TRIM	FRY REGLET	--	CLEAR ANODIZED ALUMINUM	1/2"D x 1/4"W REVEAL
MISCELLANEOUS	METAL EDGE TRIM	SCHLUTER	--	SATIN ANODIZED ALUMINUM	RADIUS SIZED TO WALL TILE
MISCELLANEOUS	TRANSITION STRIP	CORIAN	--	NEUTRAL AGGREGATE	--
MISCELLANEOUS	TRANSITION STRIP	CORIAN	--	NEUTRAL AGGREGATE	--
MISCELLANEOUS	TRANSITION STRIP	SCHLUTER	SCHIENE	STAINLESS STEEL 316L	1-3/16"H

MISCELLANEOUS	TRANSITIO N STRIP	SCHLUTER	RENO U	STAINLESS STEEL	3/8"H
MISCELLANEOUS	TRANSITIO N STRIP	TARKETT	METAL EDGE	00179 STEEL	--
MISCELLANEOUS	TRANSITIO N STRIP	TARKETT	SLIMILINE TRANSITIONS	PEBBLE	--
MISCELLANEOUS	TRANSITIO N STRIP	TARKETT	SLIMILINE TRANSITIONS	PEBBLE	--
MISCELLANEOUS	TRANSITIO N STRIP	TARKETT	STEP NOSING	BURNT UMBER	3-1/8"w x 2-1/2"H
MISCELLANEOUS	WOOD VENEER MILLWORK	CUSTOM (DIV. 06)	SAPELE, QUARTERED, NATURAL GRAIN	STAINED TO MATCH WDP-2, MARLITE QTD SAPELE 8120	--
MISCELLANEOUS	WOOD CHAIR RAIL	CUSTOM (DIV. 06)	SAPELE, QUARTERED, NATURAL GRAIN	STAINED TO MATCH WDP-2, MARLITE QTD SAPELE 8120	AS INDICATED
MISCELLANEOUS	WINDOW SHADE	MECHOSHADE	ECOVEIL SCREEN SHADE 1550	1566 EGGSHELL	--
MISCELLANEOUS	WINDOW SHADE	MECHOSHADE	ECOVEIL SCREEN DAY SHADE 1550, EQUINOX 0100 BLACKOUT	1556 EGGSHELL DAY SHADE WITH 0117 GRAPHITE BLACKOUT	--
BASE FINISH	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
BASE FINISH	METAL BASE TRIM	SCHLUTER	--	ANODIZED ALUMINU M	3/8" RADIUS
BASE FINISH	PORCELAIN TILE BASE	CAESAR CERAMICS USA	STYLE	ELEGANT	6"H x 12""W
BASE FINISH	RUBBER BASE	JOHNSONITE TARKETT	BASEWORKS, COVE	BURNT UMBER	6 "H
BASE FINISH	EPOXY TERRAZZO BASE	TERRAZZ CO	WALL BASE	--	3/8"THICK x 6 "H
BASE FINISH	WOOD BASE	CUSTOM (DIV 06)	--	MATCH WDP-2 WOOD PANEL WALLS	6"H
WALL FINISH	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGG SHELL	BIG CHILL	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EPOXY	BIG CHILL	--
WALL FINISH	PAINT	SHERWIN WILLIAMS	EGG SHELL, PRO MAR 200 HP, B20 1900 SERIES	BIG CHILL	--
WALL FINISH	PORCELAIN WALL TILE	CAESAR CERAMICS USA	RUN	SALT	12 X 24

MISCELLANEOUS FINISH	MATERIAL	MANUFACTURER	PATTERN	COLOR	SIZE
MISCELLANEOUS FINISH	CORNER GUARD	CS GROUP	CO SERIES, SURFACE MOUNT	304 STAINLESS STEEL, #4 SATIN FINISH	2"W x 2"W x 84"H
MISCELLANEOUS FINISH	GROUT, EPOXY	MAPEI	--	BISCUIT	--
MISCELLANEOUS FINISH	GROUT, EPOXY	MAPEI	--	SILVER	--
MISCELLANEOUS FINISH	PAINT	SHERWIN WILLIAMS	SEMIGLOSS FINISH	EARL GREY	--
MISCELLANEOUS FINISH	SOLID SURFACE MATERIAL	CORIAN	--	RAIN STREAK	48"W X 96"H X 1/2" THICK
MISCELLANEOUS FINISH	STAINLESS STEEL	INPRO CORPORATION	STANDARD STAINLESS STEEL, 18 GAUGE, TYPE 304	STAINLESS STEEL, SATIN FINISH	48"W X 120"L PANEL
MISCELLANEOUS FINISH	METAL EDGE TRIM	SCHLUTER	RONDEC	STAINLESS STEEL 304	3/8"H
MISCELLANEOUS FINISH	METAL EDGE TRIM	SCHLUTER	JOLLY	SATIN ANODIZED ALUMINUM	1 /2"H
MISCELLANEOUS FINISH	METAL EDGE TRIM	SCHLUTER	--	ANODIZED ALUMINUM	RADIUS SIZED TO WALL TILE
MISCELLANEOUS FINISH	TRANSITION STRIP	CORIAN	--	NEUTRAL AGGREGATE	--
MISCELLANEOUS FINISH	TRANSITION STRIP	TARKETT	METAL EDGE	00179 STEEL	--
CEILING FINISH	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
CEILING FINISH	ACOUSTICAL CEILING TILE	ARMSTRONG	CALLA HIGH NRC	WHITE	24" x 24" X 1-3 /4"THICK
CEILING FINISH	PAINT	SHERWIN WILLIAMS	EPOXY	CEILING BRIGHT WHITE	--
CEILING FINISH	PAINT	SHERWIN WILLIAMS	FLAT, DURATION HOME, A96 SERIES	CEILING BRIGHT WHITE	--
BASE FINISH	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
BASE FINISH	METAL BASE TRIM	SCHLUTER	DILEX-AHK 1S 100AE	ANODIZED ALUMINUM	3/8" RADIUS
BASE FINISH	RUBBER BASE	JOHNSONITE TARKETT	COVE	BURNT UMBER	6"
FLOOR FINISH	**MATERIAL**	**MANUFACTURER**	**PATTERN**	**COLOR**	**SIZE**
FLOOR FINISH	SEALED CONCRETE	SHERWIN WILLIAMS	ARMORSEAL TREAD PLEX	SW 7044 AMAZING GRAY	--
FLOOR FINISH	SEALED CONCRETE	SHERWIN WILLIAMS	RESUPRIME 3579, RESUFLOR 3725	SW 7044 AMAZING GRAY	--
FLOOR FINISH	EPOXY RESINOUS FLOOR	STONHARD	PRIMER-GS-GS4-PA7-PA7	SILVER GRAY	1/4" THICK

FLOOR FINISH	PORCELAIN FLOOR TILE	CAESAR CERAMICS USA	STYLE	ELEGANT	2"X2" MOSAICS, SHEET SIZE 12" X 12"
FLOOR FINISH	SOLID VINYL TILE	JOHNSONITE TARKETT	ARIA 3.0	GYPSY MOTH 0655	24" X 24"
FLOOR FINISH	WALK OFF MAT	CS GROUP	WATERSHIELD MAT WITH SQUARE PATTERN, RUBBER BORDER	MEDIUM GRAY	48" W x 72" L

CERTIFICATIONS AND APPROVAL

TECHNICAL/REQUIREMENTS CERTIFICATION

I certify that the facts and representations under my cognizance which are included in this Justification and its supporting acquisition planning documents, except as noted herein, are complete and accurate to the best of my knowledge and belief.

Technical and Requirements Cognizance:

BALL.KEVIN.TODD.1150884175 Digitally signed by BALL.KEVIN.TODD.1150884175 Date: 2023.01.23 11:38:44 -05'00'

Kevin Ball
Project Manager
NAVFAC Mid-Atlantic

Date

LEGAL SUFFICIENCY REVIEW

I have determined this Justification is legally sufficient.

SMITH.HOWARD.ANTHONY.1246399219 Digitally signed by SMITH.HOWARD.ANTHONY.1246399219 Date: 2023.01.23 12:01:27 -06'00'

Howard Smith
Assistant Counsel
NAVFAC Mid-Atlantic

Date

CONTRACTING OFFICER CERTIFICATION

I certify that this Justification is accurate and complete to the best of my knowledge and belief.

BISHOP.JOHN.P.1513905390 Digitally signed by BISHOP.JOHN.P.1513905390 Date: 2023.01.23 10:56:37 -05'00'

John Bishop
Contracting Officer
NAVFAC Mid-Atlantic

Date

CERTIFICATIONS AND APPROVAL

ECHELON IV CHIEF OF THE CONTRACTING OFFICE CERTIFICATION

I certify that this Justification is accurate and complete to the best of my knowledge and belief.

Digitally signed by KAHLER.KIMBERLY.R.1229635650
Date: 2023.02.08 15:40:23 -05'00'

Kimberly Kahler
Chief of the Contracting Office
NAVFAC Mid-Atlantic

Date

APPROVING OFFICIAL (NPGI 6.304) – ECHELON IV COMMANDING OFFICER

Upon the basis of the above justification, I hereby approve the contract modification described herein using other than full and open competition, pursuant to the authority of 10 U.S.C. 2304 (c)(1).

CAPT M. C. Riethmiller
Commanding Officer
NAVFAC Mid-Atlantic

17 FEB 2023
Date