FILE FOLDER NO. 21

RETURN TRACINGS TO PLAN LIBRARY

FOUNDATION DETAILS
BUILDING № 1
720 BED
M. S. & N. HOSPITAL
VETERANS ADMINISTRATION
TAMPA, FLORIDA

REVISIONS		
Drawn A.G.	Prof. Mgr F.S.V.	
Checked L.C.	Date Aug. 15 69	
As Built 7-20-72		

ARCHITECTS
ELIOT C. FLETCHER AIA
FRANK S. VALENTI AIA
ASSOCIATES
SCHMIDT, GARDEN & ERIKSON
H. JOSEPH DIAZ & ASSOCS.
SAM CARASTRO & ASSOCS.
CONSULTING ENGINEERS
STRUCTURAL, ELECTRICAL, MECHANICAL
CHICAGO
TAMPA

DRAWING NUMBER
1-S4A
Sheet 5 of 49
Proj. No. 09-5239

3-0-1-2255

SECTION (15/4&4) SCALE: 3/8"=1'-0"

SECTION (13/4&4) SCALE: 3/8"=1'-0"

SECTION (12/1&4) SCALE: 3/8"=1'-0"

SECTION (11/1&4) SCALE: 3/8"=1'-0"

SECTION (10/4&4) SCALE: 3/8"=1'-0"

SECTION (9/4&4) SCALE: 3/8"=1'-0"

DETAIL OF SUPPORT FOR BOT. # TOP LAYER OF REINF. (TYPICAL) SCALE: 3/8"=1'-0"

DETAIL OF CONSTRUCTION JOINT (C.J.) SCALE: 3/8"=1'-0"

SECTION (7/4&4) SCALE: 3/8"=1'-0"

DETAIL (2) SCALE 3"=1'-0"

SECTION (8/4&4) SCALE: 3/8"=1'-0"

SECTION (5/4&4) SCALE: 3/8"=1'-0"

DETAIL (1) SCALE: 3"=1'-0"

SECTION (6/4&4) SCALE: 3/8"=1'-0"

SECTION (14/4&4) SCALE: 3/8"=1'-0"

WATER - STOP DETAIL @ EXT. COL. BASE PLATE SCALE: 1/2"=1'-0"

TERMINATION DETAIL SCALE: 1/2"=1'-0"

MEMBRANE WATERPROOFING

NOTES:
1. CONTINUOUS WATER STOP REQUIRED AT ALL CONSTRUCTION JOINTS.
2. USE TYPE B CONCRETE FOR 2" WORK SLAB. NO REINFORCEMENT REQUIRED.

REDUCED FLASHING WIDTH. (SEE F.C.D. # 2)

CERTIFICATE No. 2232 STATE OF FLORIDA REGISTERED ENGINEER FLO.-IDA — FRANK S. VALENTI

CERTIFICATE No. 6898 STATE OF FLORIDA REGISTERED ARCHITECT FLO.-IDA — H. JOSEPH DIAZ